

Once you have opened this PDF you can easily search through it by typing the name of the fern or article number you are looking for into the "find" box on the tool bar. From there, click on the right pull down arrow. You then have two options. Option #1 - Click on "find next in PDF." This will bring up the first entry pertaining to your searched category in the document. Option #2 - Click on "open full reader search", a second window will pop up, you then click the search button. At this point ALL of the entries in your searched category will be brought up. (There are four other option available on the pull down menu but the above two are the most helpful.)

<u>Fern Name</u>	<u>Article # in Index of Articles</u>
<i>Acrophorus</i>	236
<i>Acrostichum</i>	93, 246, 297, 459, 559
<i>Acrostichum aureum</i>	297, 561
<i>Acrostichum danaeifolium</i>	573
<i>Actiniopteris australis</i>	568
<i>Actiniopteris semi-flabellata</i>	250, 336
<i>Acystopteris japonicum</i>	94, 184, 296
<i>Adenophorus</i>	413
<i>Adenophorus</i> <i>hymenophylloides</i>	45
<i>Adenophorus tamariscinus</i>	45
<i>Adenophorus tripinnatifidus</i>	45
<i>Adiantum</i>	9, 26, 65, 81, 93, 102, 122, 144, 168, 178, 235, 249, 254, 256, 257, 259, 266, 334, 340, 367, 375, 385, 406, 467, 501, 539, 559, 579
<i>Adiantum aleuticum</i> (or <i>A. pedatum</i> <i>ssp. aleuticum</i>)	2, 17, 27, 70, 81, 93, 103, 105, 106, 152, 163, 178, 210, 224, 271, 273, 293, 296, 307, 318, 330, 331, 336, 338, 350, 358, 366, 375, 377, 381, 395, 404, 411, 431, 440, 443, 452, 478, 479, 487, 488, 489, 490, 491, 493, 495, 523, 579, 591, 598
<i>Adiantum aleuticum</i> , Dwarf Form	17
<i>Adiantum aleuticum</i> , Fastigate Form	94

<i>Adiantum aleuticum</i> var. <i>japonicum</i>	see <i>Adiantum japonicum</i>
<i>Adiantum aleuticum</i> 'Laciniatum'	273, 539
<i>Adiantum aleuticum</i> , Rosy New Growth	94
<i>Adiantum aleuticum</i> 'Subpumilum Type'	94, 96, 106, 160, 181, 271, 287, 296, 320, 358, 395, 404, 431, 443, 468, 478, 493, 495, 504, 523
<i>Adiantum andicola</i>	297
<i>Adiantum capillus-junonis</i>	3, 43, 491
<i>Adiantum capillus-veneris</i>	9, 34, 37, 67, 74, 93, 94, 95, 98, 103, 104, 105, 106, 133, 138, 180, 240, 273, 277, 406, 478, 485, 491, 506, 508, 515, 560, 573, 580, 581
<i>Adiantum capillus-veneris</i> 'Daphnites'	191
<i>Adiantum capillus-veneris</i> 'Fimbriatum'	560
<i>Adiantum capillus-veneris</i> 'Imbricatum' ("Green Petticoats")	560
<i>Adiantum capillus-veneris</i> Michigan Form	580
<i>Adiantum capillus-veneris</i> 'Reginae'	94, 115
<i>Adiantum capillus-veneris</i> 'Scintilla'	560
<i>Adiantum caudatum</i>	9, 502
<i>Adiantum chilense</i>	353, 590
<i>Adiantum concinnum</i>	297
<i>Adiantum cunninghamii</i>	250, 556
<i>Adiantum davidii</i>	43, 103
<i>Adiantum diaphanum</i>	94, 106, 502, 556
<i>Adiantum edgeworthii</i>	257
<i>Adiantum excisum</i>	93
<i>Adiantum formosum</i>	94, 562
<i>Adiantum fulvum</i>	556

<i>Adiantum hispidulum</i>	3, 9, 45, 93, 259, 465, 478, 485, 491, 502, 556, 561
<i>Adiantum japonicum</i>	17, 25, 37, 181, 191, 296, 579
<i>Adiantum jordanii</i>	93, 263, 336, 427, 488
<i>Adiantum latifolium</i>	299
<i>Adiantum lunulatum</i>	297
<i>Adiantum macrophyllum</i>	93, 265, 409
<i>Adiantum x mairisii</i>	257
<i>Adiantum malesianum</i>	93
<i>Adiantum monochlamys</i>	3, 94, 103, 491
<i>Adiantum patens</i>	385
<i>Adiantum pedatum</i>	2, 3, 23, 27, 47, 51, 67, 74, 75, 81, 96, 101, 103, 105, 106, 130, 160, 166, 180, 181, 191, 211, 224, 226, 228, 232, 240, 263, 271, 273, 287, 292, 302, 307, 311, 312, 320, 326, 331, 358, 369, 375, 377, 395, 404, 405, 406, 411, 431, 452, 466, 473, 478, 489, 490, 491, 492, 493, 494, 495, 508, 515, 523, 531, 539, 573, 579, 580, 598
<i>Adiantum pedatum</i> var. <i>aleuticum</i>	93, 166, 181, 250
<i>Adiantum pedatum</i> var. <i>asiaticum</i>	191
<i>Adiantum pedatum</i> f. <i>Billingsae</i>	10, 11, 166
<i>Adiantum pedatum</i> var. <i>calderi</i>	27
<i>Adiantum pedatum</i> “Dwarf Form”	211
<i>Adiantum pedatum</i> ‘Eco Aurora Borealis’	493, 508
<i>Adiantum pedatum</i> ‘Imbricatum’	273
<i>Adiantum pedatum</i> ‘Japonicum’	see <i>Adiantum japonicum</i>
<i>Adiantum pedatum</i> var. <i>kamtschaticum</i>	43

<i>Adiantum pedatum</i>	23, 191, 493, 495, 508
‘Miss Sharples’	
<i>Adiantum pedatum</i>	226
PA Serpentine Form	
<i>Adiantum pedatum</i>	2, 3, 27, 37, 106, 166, 191, 226, 273
var. <i>subpumilum</i>	
(or <i>A. aleuticum</i>	
subpumilum type)	
<i>Adiantum pedatum</i>	191
“Tesselate Form”	
<i>Adiantum peruvianum</i>	93, 573
<i>Adiantum philippense</i>	502
<i>Adiantum poiretii</i>	297, 385, 513
<i>Adiantum pulverulentum</i>	379
<i>Adiantum raddianum</i>	9, 45, 104, 297, 560, 562
<i>Adiantum raddianum</i>	485
‘Fragrans’	
<i>Adiantum raddianum</i>	265
‘Gracillimum’	
<i>Adiantum reniforme</i>	250, 539, 568
<i>Adiantum roborowskii</i>	43
<i>Adiantum smithianum</i>	103
<i>Adiantum taiwanianum</i>	590
<i>Adiantum tenerum</i>	560
<i>Adiantum tenerum</i>	485
‘Scutum Roseum’	
<i>Adiantum tenue</i>	502
<i>Adiantum tetraphyllum</i>	93
<i>Adiantum thalictroides</i>	568
<i>Adiantum</i> x <i>tracyi</i>	9, 93, 263, 488
<i>Adiantum trapeziforme</i>	297, 539
<i>Adiantum venustum</i>	2, 3, 17, 37, 41, 86, 96, 103, 105, 106, 116, 160, 166, 181, 191, 195, 210, 211, 213, 214, 228, 257, 271, 287, 289, 296, 314, 320, 336, 358, 375, 377, 395, 411, 431, 443, 478, 489, 490, 491, 493, 495, 523, 579
<i>Adiantum villosum</i>	93, 297
<i>Adiantum viridimontanum</i>	2, 17, 27, 96, 160, 224, 271, 287, 320,
(<i>A. pedatum</i> x <i>A. aleuticum</i>)	358, 392, 395, 431, 478, 523, 598

<i>Aglaomorpha</i>	205, 267, 581
<i>Aglaomorpha coronans</i>	111
<i>Aglaomorpha heraclea</i>	93
<i>Aglaomorpha meyeniana</i>	93
<i>Aglaonaria x robertsii</i>	111
<i>Argyrochosma</i>	513
<i>Alethopteris</i>	494
<i>Aleuritopteris argentea</i>	93, 105, 265
<i>Allantodia australis</i>	106
<i>Alsophila</i>	367, 379, 385, 462, 513, 559, 562
<i>Alsophila australis</i>	94
<i>Alsophila colensoi</i>	see <i>Cyathea colensoi</i>
<i>Alsophila cunninghamii</i>	see <i>Cyathea cunninghamii</i>
<i>Alsophila dealbata</i>	see <i>Cyathea dealbata</i>
<i>Alsophila erinacea</i>	379
<i>Alsophila firma</i>	297
<i>Alsophila imrayana</i>	297
<i>Alsophila polystichoides</i>	297
<i>Alsophila smithii</i>	see <i>Cyathea smithii</i>
<i>Ananthacorus angustifolius</i>	297
<i>Anarthropteris</i>	556
<i>Anarthropteris lanceolata</i>	250, 556
<i>Anemia</i>	198
<i>Anemia mexicana</i>	506, 581
<i>Anemia phyllitidis</i>	198
<i>Angiopteris</i>	9
<i>Angiopteris evecta</i>	9, 57, 81, 93, 297, 462, 573, 581
<i>Angiopteris lygodiifolia</i>	88, 93
<i>Anogramma chaerophylla</i>	9
<i>Anogramma leptophylla</i>	102
<i>Antrophyum</i>	561
<i>Antrophyum immersum</i>	561
<i>Arachniodes</i>	3, 81, 195, 491, 554, 579
<i>Arachniodes adiantiformis</i>	106
<i>Arachniodes amabilis</i>	88
<i>Arachniodes aristata</i>	296, 573
<i>Arachniodes aristata</i> ‘Variegata’	2, 3, 106, 191, 226
<i>Arachniodes cavalerii</i>	3, 106, 191, 296, 489, 491, 494
<i>Arachniodes maximowiczii</i>	3, 491

<i>Arachniodes miqueliana</i>	515
<i>Arachniodes mutica</i>	94
<i>Arachniodes nipponica</i>	93
<i>Arachniodes simplicior</i>	3, 94, 336, 443, 581
<i>Arachniodes simplicior</i> var. <i>major</i> (or 'Major')	2, 17, 94, 96, 160, 191, 211, 226, 287, 296, 320, 358, 395, 431, 443, 478, 491, 523
<i>Arachniodes simplicior</i> var. <i>variegata</i>	105, 106, 228, 406, 492, 493, 494, 573
<i>Arachniodes standishii</i>	2, 3, 94, 152, 174, 184, 226, 240, 296, 375, 377, 411, 490, 491, 493, 494, 495, 539
<i>Araiostegia hymenophylloides</i>	93
<i>Argyrochosma</i>	168, 172, 248, 265, 318, 367, 420
<i>Argyrochosma dealbata</i>	506, 581
<i>Argyrochosma fendleri</i>	362, 364
<i>Argyrochosma formosa</i>	502
<i>Argyrochosma limitanea</i>	172, 502
<i>Argyrochosma limitanea</i> ssp. <i>limitanea</i>	364
<i>Arthropteris orientalis</i>	93
<i>Arthropteris orientalis</i> var. <i>subbiaurita</i>	561
<i>Arthropteris tenella</i>	562
<i>Aspidium</i>	see <i>Cyrtomium</i>
<i>Aspidium falcatum</i> (or <i>Polystichum falcatum</i>)	see <i>Cyrtomium falcatum</i>
<i>Aspidium falcatum</i> var. <i>fortunei</i>	see <i>Cyrtomium fortunei</i>
<i>Aspidium schweinitzii</i>	see <i>Polystichum acrostichoides</i> 'Incisum'
<i>Aspidotis</i>	172, 318, 367, 420, 458, 579
<i>Aspidotis californica</i> (or <i>Cheilanthes californica</i>)	93, 172, 427, 534
<i>Aspidotis x carlotta-halliae</i>	93, 94, 172, 427
<i>Aspidotis densa</i> (or <i>Cheilanthes siliquosa</i>)	3, 93, 106, 152, 172, 178, 273, 307, 318, 338, 350, 366, 401, 404, 427, 452, 491, 534, 539

<i>Asplenium</i>	3, 45, 65, 81, 93, 104, 111, 144, 146, 171, 178, 193, 200, 220, 237, 250, 257, 266, 273, 276, 297, 318, 367, 382, 385, 394, 413, 418, 467, 491, 492, 501, 513, 514, 539, 545, 561, 565, 568, 579
<i>Asplenium adiantum-nigrum</i>	37, 46, 55, 102, 106, 138, 296, 467, 561
<i>Asplenium adulterinum</i>	106, 296, 523, 545
<i>Asplenium aethiopicum</i>	250, 465, 502, 507, 561
<i>Asplenium affine</i>	561
<i>Asplenium aitchisonii</i>	146
<i>Asplenium altajense</i>	see <i>Asplenium sarelii</i>
<i>Asplenium</i> x <i>alternifolium</i>	115, 257, 276, 378, 559
<i>Asplenium anagrammoides</i>	43
<i>Asplenium antiquum</i>	573
<i>Asplenium apogamum</i>	502
<i>Asplenium auritum</i>	9
<i>Asplenium austrochinense</i>	43
<i>Asplenium billotii</i>	45, 94, 106, 138, 296
<i>Asplenium blepharophorum</i>	297
<i>Asplenium</i> x <i>boydstoniae</i>	263
<i>Asplenium bradleyi</i>	75, 94, 130, 286, 294, 302, 406
<i>Asplenium bulbiferum</i>	9, 38, 106, 250, 556, 581
<i>Asplenium castaneum</i>	385
<i>Asplenium cataractarum</i>	502
<i>Asplenium caudatum</i>	93
<i>Asplenium ceterach</i>	see <i>Ceterach officinarum</i>
<i>Asplenium cheilosorum</i>	88, 502
<i>Asplenium cordatum</i>	502
<i>Asplenium</i> x <i>costei</i>	257
<i>Asplenium crucibuli</i>	226
<i>Asplenium cuneifolium</i>	115, 539, 545
<i>Asplenium daghestanicum</i>	43
<i>Asplenium dareoides</i>	257
<i>Asplenium daucifolium</i>	9, 250, 561
<i>Asplenium dimorphum</i>	106

<i>Asplenium ebenoides</i>	36, 51, 65, 67, 81, 94, 101, 105, 106,
(or <i>A. x ebenoides</i>)	111, 166, 181, 191, 241, 263, 286,
(or <i>Asplenosorus</i>	294, 406, 466, 478, 493, 515, 523,
<i>x ebenoides</i>)	559, 580
<i>Asplenium exiguum</i>	see <i>Asplenium sarelii</i>
<i>Asplenium filipes</i>	502
<i>Asplenium fissum</i>	25
<i>Asplenium flabellifolium</i>	200, 257, 336
<i>Asplenium flabellulatum</i>	297, 502
<i>Asplenium flaccidum</i>	57, 94, 200, 250, 336, 336, 556
<i>Asplenium fontanum</i>	106, 226, 237, 296, 336
<i>Asplenium foreziense</i>	94, 106, 250
<i>Asplenium x gravesii</i>	286
<i>Asplenium harpeodes</i>	385
<i>Asplenium haussknechtii</i>	43
<i>Asplenium hemionitis</i>	250, 465
<i>Asplenium x heteroresiliens</i>	502
<i>Asplenium heufleri</i>	43
<i>Asplenium holophlebium</i>	297
<i>Asplenium hondoense</i>	502
<i>Asplenium incisum</i>	94, 115, 336, 539
<i>Asplenium induratum</i>	93
<i>Asplenium isacrdense</i>	146
<i>Asplenium x kentuckiense</i>	130, 294
<i>Asplenium lucidum</i>	93
<i>Asplenium x lusaticum</i>	115
<i>Asplenium lyallii</i>	250
<i>Asplenium marinum</i>	94, 106, 138, 144, 273, 296, 465
<i>Asplenium mertensianum</i>	502
<i>Asplenium monanthes</i>	94, 102, 465, 502
<i>Asplenium montanum</i>	14, 75, 111, 130, 241, 286, 294, 302,
	369, 378, 405, 406, 495, 515
<i>Asplenium montanum</i>	see <i>Asplenium pinnatifidum</i>
<i>x rhizophyllum</i>	
<i>Asplenium x murbeckii</i>	43, 115
<i>Asplenium myriophyllum</i>	93
<i>Asplenium nesii</i>	146
<i>Asplenium nidus</i>	57, 93, 106, 198, 586
<i>Asplenium nidus-avis</i>	508
<i>Asplenium obliquum</i>	106, 250

<i>Asplenium oblongifolium</i>	57, 106, 250, 556
(or <i>A. oblongatum</i>)	
(or <i>A. lucidum</i>)	
<i>Asplenium obovatum</i>	588
ssp. <i>billotii</i>	
<i>Asplenium obtusatum</i>	562
<i>Asplenium obtusatum</i>	200, 250, 296
ssp. <i>obtusatum</i>	
<i>Asplenium onopteris</i>	46, 106
<i>Asplenium pinnatifidum</i>	67, 75, 94, 105, 111, 120, 130, 166,
(or <i>Asplenosorus</i>	241, 286, 294, 302, 402, 405, 406,
x <i>pinnatifidus</i>)	493, 515
(or x <i>Asplenosorus pinnatifidus</i>)	
<i>Asplenium platyneuron</i>	3, 9, 37, 47, 51, 65, 67, 74, 75, 101,
	105, 109, 111, 130, 139, 166, 180,
	224, 226, 228, 241, 250, 263, 273,
	292, 294, 302, 311, 312, 326, 345,
	369, 402, 406, 438, 491, 492, 493,
	494, 495, 508, 514, 515, 565, 573,
	580
<i>Asplenium platyneuron</i> ,	94, 106
Cresting Tendency	
<i>Asplenium polyodon</i>	250, 556
<i>Asplenium polyphyllum</i>	297, 385
<i>Asplenium</i> x <i>poscharskyanum</i>	115, 545
<i>Asplenium pseudofontanum</i>	43, 106
<i>Asplenium pseudolanceolatum</i>	43
<i>Asplenium pycnocarpon</i>	see <i>Diplazium pycnocarpon</i>
<i>Asplenium resiliens</i>	75, 102, 139, 302, 364, 402, 488, 502,
	506, 581
<i>Asplenium rhizophyllum</i>	see <i>Camptosorus rhizophyllum</i>
<i>Asplenium richardii</i>	250, 336
<i>Asplenium ruta-muraria</i>	14, 25, 43, 65, 67, 98, 106, 138, 191,
	224, 240, 263, 273, 336, 402, 406,
	493, 511
<i>Asplenium ruta-muraria</i>	94, 115
var. <i>dolomiticum</i>	
<i>Asplenium saggitatum</i>	250
<i>Asplenium samarkandense</i>	43
<i>Asplenium sarelii</i>	43, 102

<i>Asplenium scleroprium</i>	250
<i>Asplenium scolopendrium</i>	see <i>Phyllitis scolopendrium</i>
<i>Asplenium septentrionale</i>	94, 106, 115, 139, 318, 345, 378, 513
<i>Asplenium squamosum</i>	297
<i>Asplenium tadei</i>	146
<i>Asplenium trichomanes</i>	2, 3, 17, 36, 37, 51, 67, 70, 75, 85, 94, 101, 102, 105, 106, 109, 115, 116, 130, 132, 138, 139, 144, 166, 175, 181, 191, 210, 213, 220, 240, 241, 263, 273, 276, 286, 287, 289, 294, 296, 302, 304, 307, 320, 331, 358, 367, 369, 375, 378, 381, 395, 402, 404, 406, 431, 443, 466, 478, 489, 490, 491, 492, 493, 494, 495, 499, 511, 513, 515, 523, 545, 559, 565
<i>Asplenium trichomanes</i> ‘Cristatum’	106, 166, 402, 489
<i>Asplenium trichomanes</i> ssp. <i>hastatum</i>	115, 515
<i>Asplenium trichomanes</i> ‘Incisum’	17, 96, 106, 160, 211, 257, 287, 320, 358, 395, 402, 431, 466, 478, 489, 523
<i>Asplenium trichomanes</i> ‘Incisum Claphami’	94
<i>Asplenium trichomanes</i> ssp. <i>inexpectans</i>	94
<i>Asplenium trichomanes</i> notho ssp. <i>lucanum</i>	94, 115
<i>Asplenium trichomanes</i> ‘Pachyrachis’ (or <i>A. t.</i> ssp. <i>pachyrachis</i>)	94, 133, 226, 511, 545
<i>Asplenium trichomanes</i> ssp. <i>quadrivalens</i>	98, 106, 501, 545
<i>Asplenium trichomanes</i> - <i>ramosum</i>	see <i>Asplenium viride</i>
<i>Asplenium trichomanes</i> var. <i>trichomanes</i>	106, 404, 440, 515, 591
<i>Asplenium trichomanes</i> var. <i>trogyense</i>	191
<i>Asplenium tripteropus</i>	257, 402

<i>Asplenium x trudellii</i>	286, 508, 515
<i>Asplenium unilaterale</i>	45, 568
<i>Asplenium varians</i>	43
<i>Asplenium x virginicum</i>	51, 294
<i>Asplenium viride</i> (or <i>A. trichomanes-ramosum</i>)	13, 14, 37, 106, 240, 273, 304, 307, 318, 336, 367, 402, 440, 452, 471, 489, 545
<i>Asplenium vulcanicum</i>	93
<i>Asplenium woronowii</i>	43
<i>Asplenophyllitis microdon</i>	257
<i>Asplenosorus x crucibuli</i>	see <i>Asplenium crucibuli</i>
<i>Asplenosorus x ebenoides</i>	see <i>Asplenium ebenoides</i>
<i>Asplenosorus x pinnatifidus</i>	see <i>Asplenium pinnatifidum</i>
<i>Astrolepis</i>	168, 172, 265, 318, 367, 420, 488, 507
<i>Astrolepis beitelii</i>	172
<i>Astrolepis cochisensis</i>	93, 172, 277, 362, 364, 502, 573, 581
<i>Astrolepis cochisensis</i> ssp. <i>arizonica</i>	139
<i>Astrolepis cochisensis</i> ssp. <i>chihuahuaensis</i>	362
<i>Astrolepis cochisensis</i> ssp. <i>cochisensis</i>	364
<i>Astrolepis crassifolia</i>	502
<i>Astrolepis integerrima</i>	93, 172, 277, 364, 502, 581
<i>Astrolepis sinuata</i> (or <i>Cheilanthes sinuata</i>) (or <i>Notholaena sinuata</i>)	93, 139, 172, 277, 362, 364, 489, 493, 494, 502, 507, 573, 581
<i>Astrolepis windhamii</i>	172, 277, 362, 364, 502
<i>Athyrium</i>	7, 15, 81, 88, 93, 144, 148, 152, 178, 259, 278, 336, 340, 347, 375, 405, 406, 460, 491, 492, 511, 514, 515, 531, 539, 545, 559, 579, 588
<i>Athyrium acrostichoides</i>	43
<i>Athyrium alpestre</i> (or <i>A. distentifolium</i>)	37, 106, 178, 226, 273, 278, 307, 318, 491
<i>Athyrium americanum</i> (or <i>A. alpestre</i> var. <i>americanum</i> or <i>A.</i> <i>distentifolium</i> var. <i>americanum</i>)	93, 94, 440

<i>Athyrium angustum</i>	see <i>Athyrium filix-femina</i> ssp. <i>angustum</i>
<i>Athyrium asplenioides</i>	see <i>Athyrium filix-femina</i> ssp. <i>asplenioides</i>
<i>Athyrium austro-ussuriense</i>	43
<i>Athyrium</i> x 'Branford Beauty' (or <i>Athyrium niponicum</i> 'Branford Beauty')	356, 429, 431, 478, 489, 493, 495, 515, 523
<i>Athyrium coreanum</i>	43
<i>Athyrium crenatum</i>	see <i>Diplazium sibericum</i>
<i>Athyrium crenulato-serrulatum</i>	43
<i>Athyrium cyclosorum</i> (or <i>A. filix-femina</i> var. <i>cyclosorum</i>)	41, 94, 166, 178, 312, 326, 331, 375, 490, 491, 504, 579
<i>Athyrium deltoidofrons</i> (or <i>A. multifidum</i>)	43, 94, 106
<i>Athyrium distentifolium</i>	see <i>Athyrium alpestre</i>
<i>Athyrium filix-femina</i>	3, 9, 17, 37, 41, 65, 67, 79, 81, 93, 98, 101, 106, 109, 138, 139, 163, 178, 180, 181, 191, 210, 226, 235, 240, 257, 266, 273, 278, 302, 307, 312, 249, 318, 326, 329, 331, 346, 347, 375, 377, 381, 382, 392, 393, 404, 405, 432, 438, 452, 478, 488, 492, 493, 494, 495, 499, 515, 521, 531, 534, 539, 545, 558, 567, 579, 591
<i>Athyrium filix-femina</i> (European)	492, 495
<i>Athyrium filix-femina</i> ssp. <i>angustum</i>	2, 17, 47, 51, 75, 94, 96, 105, 160, 211, 226, 278, 287, 312, 369, 375, 377, 393, 406, 407, 411, 473, 492, 495, 515, 579, 588
<i>Athyrium filix-femina</i> ssp. <i>angustum</i> f. <i>elatus</i>	226
<i>Athyrium filix-femina</i> ssp. <i>angustum</i> f. <i>rubellum</i> (or 'Rubellum' or 'Lady in Red')	34, 37, 51, 65, 75, 85, 106, 166, 226, 228, 393, 490, 492, 493, 495, 508, 523, 559, 579, 580, 588

<i>Athyrium filix-femina</i>	74, 75, 81, 85, 93, 105, 106, 130, 226.
ssp. <i>asplenioides</i>	228, 241, 278, 286, 292, 302, 312,
(or <i>asplenioides</i>)	326, 492, 493, 494, 495, 573, 579
<i>Athyrium filix-femina</i>	226
ssp. <i>asplenioides</i>	
f. <i>subtripinnatum</i>	
<i>Athyrium filix-femina</i>	257
‘Axminster’	
<i>Athyrium filix-femina</i>	2, 17, 96, 106, 160, 211, 287, 320
‘Bornholmiense’	
<i>Athyrium filix-femina</i>	see <i>Athyrium</i> x ‘Branford Beauty’
‘Branford Beauty’	
<i>Athyrium filix-femina</i>	15, 257, 539
‘Clarissima’	
<i>Athyrium filix-femina</i>	257
‘Clarissima Jones’	
<i>Athyrium filix-femina</i>	226
‘Congestum Grandiceps’	
<i>Athyrium filix-femina</i>	94, 115, 228
‘Corymbiferum’	
<i>Athyrium filix-femina</i>	3, 37, 41, 106, 115, 166, 181, 191,
‘Cristata,’ ‘Cristatum,’	226, 240, 493
& Cristatum Group	
<i>Athyrium filix-femina</i>	493
‘Cruciato-cristatum’	
<i>Athyrium filix-femina</i>	493
‘Cruciatum’	
<i>Athyrium filix-femina</i>	93, 106, 278, 404, 440, 493, 495, 591
var. <i>cyclosorum</i>	
<i>Athyrium filix-femina</i>	493
‘Dre’s Dagger’	
<i>Athyrium filix-femina</i> ,	37, 191
‘Dwarf Form’	
<i>Athyrium filix-femina</i>	493
‘Encourage’	
<i>Athyrium filix-femina</i>	41, 45, 140, 493
‘Fancy Fronds’	
(or Fancy Fronds Strain)	

<i>Athyrium filix-femina</i>	3, 94, 226
'Fieldiae'	
<i>Athyrium filix-femina</i>	133
'Foecundulosissimum'	
<i>Athyrium filix-femina</i>	94
'Foliosum Grandiceps'	
<i>Athyrium filix-femina</i>	25, 36, 37, 41, 106, 191, 226, 289,
'Frizelliae'	293, 296, 330, 358, 395, 431, 478,
	488, 489, 490, 493, 495, 508, 523,
	531, 539, 588
<i>Athyrium filix-femina</i>	500
'Kalothrix'	
<i>Athyrium filix-femina</i> 'Minor'	41
<i>Athyrium filix-femina</i>	2, 3, 17, 41, 94, 96, 106, 160, 166,
'Minutissimum'	211, 226, 287, 320, 336, 493, 495,
	539, 579
<i>Athyrium filix-femina</i>	106
'Multifidum'	
<i>Athyrium filix-femina</i>	495
'Percristatum'	
<i>Athyrium filix-femina</i>	94, 106
'Plumosum'	
<i>Athyrium filix-femina</i>	61
'Plumosum Axminster'	
<i>Athyrium filix-femina</i>	257
'Plumosum Coke' &	
'Plumosum Druery' &	
'Plumosum Penny'	
<i>Athyrium filix-femina</i>	181
'Purpurea'	
<i>Athyrium filix-femina</i>	588
'Red Lance'	
<i>Athyrium filix-femina</i>	493
'Rotstiel'	
<i>Athyrium filix-femina</i>	106, 405
'Rubellum'	
<i>Athyrium filix-femina</i>	106
'Sitchense'	
<i>Athyrium filix-femina</i>	94
'Subplumosum Cristatum'	

<i>Athyrium filix-femina</i> ‘Vernoniae’	212, 489, 539
<i>Athyrium filix-femina</i> ‘Vernoniae Cristatum’	41, 95, 106, 191, 214, 320, 358, 395, 431, 478, 493
<i>Athyrium filix-femina</i> ‘Victoriae’ or ‘Lady Victoria’ (& Tall & Short forms)	3, 25, 37, 106, 191, 257, 490, 492, 493, 495, 523, 531
<i>Athyrium filix-femina</i> ‘Waterfall’	41
<i>Athyrium flexile</i>	336
<i>Athyrium</i> x ‘Ghost’ (or <i>A. niponicum</i> ‘Ghost’)	429, 443, 478, 489, 492, 493, 494, 495, 508, 515, 523, 531, 573
<i>Athyrium iseanum</i>	545
<i>Athyrium japonicum</i>	see <i>Deparia japonica</i>
<i>Athyrium macrophyllum</i>	45
<i>Athyrium melanolepis</i>	43
<i>Athyrium mesosorum</i>	2, 3, 17, 96, 160, 287, 320, 491
<i>Athyrium monomachi</i>	43
<i>Athyrium nakanoi</i>	88
<i>Athyrium niponicum</i> (or <i>A. goeringianum</i>) (or <i>A. iseanum</i>)	2, 17, 43, 81, 96, 106, 160, 184, 211, 287, 296, 312, 320, 326, 336, 406, 443, 483, 491, 492, 493, 495
<i>Athyrium niponicum</i> ‘Ancient Jade’	226
<i>Athyrium niponicum</i> ‘Anna Bell’s Dwarf’	515
<i>Athyrium niponicum</i> ‘Barnes Dwarf Gray’	226
<i>Athyrium niponicum</i> ‘Barnes Dwarf Green’	226
<i>Athyrium niponicum</i> ‘Branford Rambler’	429, 493, 515
<i>Athyrium niponicum</i> x <i>filix-femina</i>	106
<i>Athyrium niponicum</i> ‘Grune Form’	545
<i>Athyrium niponicum</i> ‘Metallicum Cristatum’ (or ‘M.C.-Flabellatum’)	94, 191, 211

<i>Athyrium niponicum</i> 'Pictum'	2, 3, 17, 34, 36, 37, 47, 96, 101, 105, 106, 160, 166, 178, 180, 181, 191, 211, 226, 228, 240, 287, 296, 312, 320, 358, 395, 404, 412, 431, 441, 443, 450, 478, 483, 487, 488, 489, 490, 492, 493, 494, 495, 515, 523, 573
<i>Athyrium niponicum</i> 'Pictum Applecourt'	493, 515, 523, 531
<i>Athyrium niponicum</i> 'Pictum Burgundy Lace'	493
<i>Athyrium niponicum</i> 'Pictum Eco Dwarf'	493
<i>Athyrium niponicum</i> 'Pictum Giant'	495
<i>Athyrium niponicum</i> 'Pictum Pewter Lace'	493, 515
<i>Athyrium niponicum</i> 'Pictum Samurai Sword'	493, 515
<i>Athyrium niponicum</i> 'Pictum Soulmate'	493, 515
<i>Athyrium niponicum</i> 'Red Beauty'	515
<i>Athyrium niponicum</i> 'Silver Falls' (or 'Pictum Silver Falls')	429, 443, 493, 515, 559
<i>Athyrium niponicum</i> 'Silver Lace'	515
<i>Athyrium niponicum</i> 'Ursula's Red' (or 'Pictum Ursula's Red')	226, 427, 493, 515
<i>Athyrium niponicum</i> 'Wildwood La Pampa'	226
<i>Athyrium niponicum</i> 'Wildwood Tapestry'	226, 515
<i>Athyrium niponicum</i> 'Wildwood Twist' (or 'Pictum Wildwood Twist')	429, 493, 515
<i>Athyrium niponicum</i> 'Wildwood Wonder'	515

<i>Athyrium otophorum</i>	3, 17, 37, 81, 96, 105, 106, 132, 160, 161, 164, 191, 211, 215, 226, 228, 287, 296, 312, 320, 326, 340, 358, 375, 377, 395, 411, 431, 478, 488, 490, 491, 492, 493, 494, 495, 515, 523, 530, 559, 573
<i>Athyrium otophorum</i> var. <i>okanum</i>	106, 493, 545
<i>Athyrium pterorachis</i>	43
<i>Athyrium pycnocarpon</i> (or <i>Diplazium pycnocarpon</i>)	2, 3, 17, 21, 34, 51, 62, 65, 67, 74, 94, 106, 166, 181, 226, 250, 273, 493, 535
<i>Athyrium pycnosorum</i>	43
<i>Athyrium reflexipinnum</i>	88
<i>Athyrium rubripes</i> (or <i>A. f.-f.</i> var. <i>rubripes</i>) (or <i>A. f.-f.</i> 'Rubripes')	37, 43, 106, 115
<i>Athyrium rupestre</i>	43, 94
<i>Athyrium spinulosum</i>	43, 115
<i>Athyrium subrigescens</i>	88
<i>Athyrium subspinulosum</i>	43
<i>Athyrium thelypteroides</i>	see <i>Deparia acrostichoides</i>
<i>Athyrium tozanense</i>	88
<i>Athyrium vidalii</i>	2, 17, 37, 96, 106, 160, 184, 211, 287, 296, 523
<i>Athyrium yokoscense</i>	43, 106, 296, 443, 493, 539
<i>Azolla</i>	81, 385, 457, 467, 520
<i>Azolla caroliniana</i>	116, 406
<i>Azolla (rubra) filiculoides</i>	562
<i>Azolla mexicana</i>	302
<i>Azolla pinnata</i>	502
<i>Belvisia</i>	267
<i>Belvisia spicata</i> (or <i>B. revoluta</i>)	299, 561
<i>Blechnum</i>	45, 81, 93, 138, 152, 178, 192, 200, 242, 250, 340, 353, 367, 385, 460, 462, 491, 501, 514, 556, 559, 562, 579, 588
<i>Blechnum amabile</i>	88
<i>Blechnum appendiculatum</i>	465, 573
<i>Blechnum arcuatum</i>	353

<i>Blechnum attenuatum</i>	561
<i>Blechnum auritum</i>	see <i>Blechnum buchtienii</i>
<i>Blechnum brasiliense</i>	573
<i>Blechnum buchtienii</i>	297, 385
<i>Blechnum capense</i>	192, 367
<i>Blechnum chambersii</i>	250, 556
<i>Blechnum chilense</i> (or <i>B. tabulare</i>)	25, 138, 353, 367, 443, 468, 496, 500, 523, 561, 568
<i>Blechnum christii</i>	297
<i>Blechnum colensoi</i>	57, 562
<i>Blechnum cordatum</i>	296, 358, 367, 395, 431, 478
<i>Blechnum cycadifolium</i>	588
<i>Blechnum discolor</i>	171, 192, 200, 491, 556, 588
<i>Blechnum ensiforme</i>	379
<i>Blechnum filiforme</i>	57, 106, 250, 556
<i>Blechnum fluviatile</i>	106, 171, 200, 257, 502, 556
<i>Blechnum fraseri</i>	250, 556
<i>Blechnum gibbon</i>	573
<i>Blechnum hastatum</i>	353
<i>Blechnum loxense</i>	297, 385
<i>Blechnum magellanicum</i>	138, 353, 367, 588
<i>Blechnum membranaceum</i>	242, 556
<i>Blechnum minus</i>	94, 115, 250, 545, 588
<i>Blechnum niponicum</i>	2, 17, 43, 129, 250, 296, 358, 395, 431, 478, 495, 515, 523, 539
<i>Blechnum novae-zelandiae</i>	367, 556, 562, 588
<i>Blechnum nudum</i>	588
<i>Blechnum occidentale</i>	45, 465
<i>Blechnum penna-marina</i>	2, 3, 17, 25, 26, 65, 93, 96, 105, 106, 116, 160, 191, 192, 200, 211, 226, 242, 257, 263, 266, 276, 287, 296, 320, 336, 358, 395, 431, 443, 478, 488, 489, 491, 493, 494, 495, 517, 523, 530, 562
<i>Blechnum penna-marina</i> 'Cristatum'	94, 106, 191, 226, 242
<i>Blechnum patersonii</i>	106
<i>Blechnum polypodioides</i>	297
<i>Blechnum procerum</i>	562
<i>Blechnum punctulatum</i>	276

<i>Blechnum spicant</i>	2, 3, 17, 25, 70, 81, 93, 94, 96, 105, 106, 115, 116, 129, 133, 138, 152, 160, 178, 191, 211, 226, 238, 242, 273, 287, 293, 296, 307, 320, 331, 346, 358, 377, 381, 395, 404, 411, 431, 440, 442, 443, 452, 478, 488, 489, 491, 493, 494, 495, 499, 510, 511, 523, 545, 591
<i>Blechnum spicant</i> ‘Anomalum’	129
<i>Blechnum spicant</i> ‘Crispa’	105
<i>Blechnum spicant</i> ‘Crispo Minutissimum’	129
<i>Blechnum spicant</i> ‘Cristatum’	129
<i>Blechnum spicant</i> ‘Imbricatum’	129
<i>Blechnum spicant</i> ‘North Wales’ (Serratum Group)	17
<i>Blechnum spicant</i> ‘Redwood Giant’	106, 489
<i>Blechnum spicant</i> ‘Rush’s Bipinnatum’	129
<i>Blechnum spicant</i> ‘Serratum Rickard’ (or ‘Rickard’s Serrate’)	2, 96, 106, 129, 160, 211, 287, 320, 358, 395, 431, 442, 478, 523
<i>Blechnum stoloniferum</i>	102, 297
<i>Blechnum tabulare</i>	see <i>Blechnum chilense</i>
<i>Blechnum vulcanicum</i>	57, 106, 250, 562
<i>Blechnum watsii</i>	250, 296
<i>Blechnum whelanii</i>	502
<i>Blotiella lindeniana</i>	297
<i>Blotiella pubescens</i>	568
<i>Bolbitis</i>	81, 297
<i>Bolbitis nicotianifolia</i>	297
<i>Bolbitis oligarchica</i>	297
<i>Bolbitis subcordata</i>	88
<i>Bommeria</i>	172, 265, 318, 507
<i>Bommeria hispida</i>	172, 265, 277, 336, 364, 488, 581
<i>Bommeria knoblochii</i>	102
<i>Bommeria pedata</i>	502
<i>Bommeria subpaleacea</i>	102

<i>Botrychium</i>	14, 75, 81, 85, 128, 130, 166, 178, 224, 246, 273, 284, 290, 304, 307, 373, 381, 382, 385, 404, 457, 467, 473, 494, 507, 515, 559, 573, 591
<i>Botrychium alaskense</i>	440
<i>Botrychium ascendens</i>	440, 598
<i>Botrychium australe</i>	57
<i>Botrychium biternatum</i>	74, 105, 292, 302, 438, 493, 494, 573
<i>Botrychium boreale</i>	307
<i>Botrychium dissectum</i> (& <i>B. d. f. dissectum</i>)	9, 51, 65, 67, 74, 75, 85, 105, 106, 130, 226, 241, 279, 311, 312, 369, 405, 406, 508, 573
<i>Botrychium dissectum</i> f. <i>obliquum</i>	51, 75, 85, 106, 226, 302, 401, 406, 515
<i>Botrychium dusenii</i>	307
<i>Botrychium echo</i>	111
<i>Botrychium hesperium</i>	111, 591
<i>Botrychium lanceolatum</i>	37, 178, 224, 241, 307, 406, 452
<i>Botrychium lanceolatum</i> var. <i>angustisegmentum</i>	75, 85
<i>Botrychium lanceolatum</i> ssp. <i>lanceolatum</i>	440
<i>Botrychium lunaria</i>	37, 257, 273, 284, 440, 545
<i>Botrychium lunaria</i> var. <i>onondagense</i>	307
<i>Botrychium matricariifolium</i>	37, 67, 75, 85, 224, 226, 369, 406, 508
<i>Botrychium minganense</i> (or <i>B. lunaria</i> var. <i>minganense</i>)	440, 598
<i>Botrychium multifidum</i>	37, 67, 75, 178, 224, 307, 369, 381, 406, 440, 443, 452, 591, 598
<i>Botrychium multifidum</i> ssp. <i>silaiifolium</i>	93
<i>Botrychium oneidense</i>	67, 75, 241, 311, 401, 406, 515
<i>Botrychium pinnatum</i> (or <i>B. boreale</i>)	440, 591
<i>Botrychium schaffneri</i>	385
<i>Botrychium simplex</i>	37, 85, 226, 307, 401, 406, 598

<i>Botrychium ternatum</i>	85
var. <i>intermedium</i>	
<i>Botrychium tunux</i>	440
<i>Botrychium virginianum</i>	37, 51, 65, 67, 74, 75, 81, 85, 101, 105, 130, 181, 224, 226, 241, 292, 297, 302, 307, 369, 381, 405, 406, 438, 440, 473, 493, 494, 508, 515, 567, 573, 580
<i>Botrychium yaaxudakeit</i>	440
<i>Calochlaena</i>	462
<i>Calochlaena dubia</i>	93, 462
<i>Camptosorus</i>	81, 111, 235, 467, 551
<i>Camptosorus rhizophyllum</i>	3, 51, 67, 74, 75, 84, 94, 101, 105, (or <i>Asplenium</i> <i>rhizophyllum</i>)
	106, 111, 120, 130, 166, 224, 226, 228, 240, 241, 246, 257, 263, 273, 286, 294, 302, 311, 312, 326, 369, 402, 405, 406, 466, 467, 493, 495, 508, 515, 539
<i>Camptosorus sibiricus</i>	43
<i>Campyloneurum</i>	267, 385
<i>Campyloneurum angustifolium</i>	93
<i>Campyloneurum chlorolepis</i>	379
<i>Campyloneurum costatum</i>	93
<i>Campyloneurum phyllitidis</i>	93
<i>Campyloneurum repens</i>	297
<i>Campyloneurum serpentinum</i>	379
<i>Campyloneurum xalapense</i>	297
<i>Cardiomanes</i>	559
<i>Cardiomanes reniforme</i>	see <i>Trichomanes reniforme</i>
<i>Cephalomanes obscurum</i>	88
<i>Ceradenia kalbreyeri</i>	297
<i>Ceratopteris</i>	457, 467
<i>Ceratopteris thalictroides</i>	198
<i>Ceterach</i>	144, 222, 276, 511
<i>Ceterach dalhousiae</i>	106
<i>Ceterach officinarum</i>	3, 26, 98, 106, 115, 138, 222, 346, (or <i>Asplenium ceterach</i>)
	431, 478, 489, 523, 565, 597

<i>Ceterach officinarum</i>	115, 276
ssp. <i>bivalens</i>	
<i>Ceterach officinarum</i>	296
‘Crenatum’	
<i>Cheilanthes</i>	25, 26, 52, 81, 93, 102, 111, 144, 168, 172, 247, 250, 265, 273, 274, 276, 317, 318, 329, 336, 367, 385, 404, 410, 418, 420, 443, 457, 464, 466, 488, 491, 501, 511, 513, 527, 559, 565, 573, 579, 581
<i>Cheilanthes alabamensis</i>	65, 106, 172, 277, 364, 502, 506, 513, 573, 581
<i>Cheilanthes argentea</i>	43, 94, 184, 228, 289, 320, 489, 493, 523, 539
<i>Cheilanthes arizonica</i>	364, 502
<i>Cheilanthes bonariensis</i>	93, 172, 265, 364, 488, 502, 581
<i>Cheilanthes brandegeei</i>	93
<i>Cheilanthes brownii</i>	502
<i>Cheilanthes buchtienii</i>	93, 265
<i>Cheilanthes clevelandii</i>	93, 488
<i>Cheilanthes cooperae</i>	318
<i>Cheilanthes coriacea</i>	296
<i>Cheilanthes covillei</i>	139, 172, 464, 488
<i>Cheilanthes cucullans</i>	102
<i>Cheilanthes cuneata</i>	502
<i>Cheilanthes dalhousiae</i>	3
<i>Cheilanthes distans</i>	106, 502
<i>Cheilanthes eatonii</i>	37, 94, 106, 116, 139, 265, 274, 277, 362, 364, 502, 506, 511, 527, 581
<i>Cheilanthes eckloniana</i>	502
<i>Cheilanthes farinosa</i>	198, 502
<i>Cheilanthes feei</i>	37, 93, 94, 139, 250, 273, 302, 362, 364, 405, 471, 502, 507, 581
<i>Cheilanthes fendleri</i>	37, 93, 94, 139, 317, 362, 364, 464, 530, 539, 545
<i>Cheilanthes gracillima</i>	93, 94, 178, 307, 318, 338, 350, 366, 404, 452, 534
<i>Cheilanthes grayi</i>	93
<i>Cheilanthes hirta</i>	250, 502
<i>Cheilanthes horridula</i>	581

<i>Cheilanthes humilis</i>	200
<i>Cheilanthes inequalis</i>	250, 502
<i>Cheilanthes intertexta</i>	296, 318, 336, 427, 501
<i>Cheilanthes involuta</i>	502
var. <i>obscura</i>	
<i>Cheilanthes jamaicensis</i>	296
<i>Cheilanthes kaulfussii</i>	274, 502, 573
<i>Cheilanthes kuhnii</i>	43
<i>Cheilanthes lanosa</i>	17, 67, 74, 75, 96, 105, 106, 160, 166, 191, 226, 237, 240, 273, 287, 292, 296, 302, 336, 406, 410, 420, 464, 489, 491, 493, 494, 495, 515, 539, 573
<i>Cheilanthes lasiophylla</i>	106, 502
<i>Cheilanthes lendigera</i>	93, 296, 358, 395, 431, 478, 489, 523
<i>Cheilanthes lindheimeri</i>	93, 139, 265, 274, 296, 336, 364, 427, 488, 502, 506, 573, 581
<i>Cheilanthes marantae</i>	see <i>Notholaena marantae</i>
<i>Cheilanthes marginata</i>	297
<i>Cheilanthes mexicana</i>	102
<i>Cheilanthes myriophylla</i>	93, 265, 379
<i>Cheilanthes newberryi</i>	93, 172
<i>Cheilanthes nudiuscula</i>	502
<i>Cheilanthes parishii</i>	139
<i>Cheilanthes parryi</i>	93, 139, 172
<i>Cheilanthes persica</i>	43
<i>Cheilanthes pringlei</i>	93
<i>Cheilanthes pruinata</i>	93, 265, 296
<i>Cheilanthes pteridioides</i>	43, 336
(or <i>C. fragrans</i>)	
<i>Cheilanthes pumilio</i>	502
<i>Cheilanthes sieberi</i>	502
<i>Cheilanthes siliquosa</i>	see <i>Aspidotis densa</i>
<i>Cheilanthes sinuata</i>	see <i>Astrolepis sinuata</i>
<i>Cheilanthes standleyi</i>	37
<i>Cheilanthes tomentosa</i>	74, 93, 105, 106, 265, 274, 277, 296, 317, 364, 420, 457, 464, 478, 488, 491, 493, 494, 495, 502, 506, 513, 527, 539, 573, 581
<i>Cheilanthes villosa</i>	364, 488, 502, 527, 581

<i>Cheilanthes viridis</i>	502
<i>Cheilanthes viscida</i>	172
<i>Cheilanthes weatherbiana</i>	102
<i>Cheilanthes wootonii</i>	37, 296, 364, 502
<i>Cheilanthes wrightii</i>	139, 364, 581
<i>Cheilanthes yavapensis</i>	139, 296, 364, 502
<i>Cheiloplecton rigidum</i>	502
var. <i>lanceolatum</i>	
<i>Cheiropleura bicuspis</i>	88
<i>Christella subpubescens</i>	106
<i>Cibotium</i>	45, 367, 462
<i>Cibotium glaucum</i>	45
<i>Cibotium menziesii</i>	197
<i>Cibotium schiedei</i>	250, 539, 581
<i>Cnemidaria</i>	462
<i>Cnemidaria mutica</i>	297
<i>Cochlidium</i>	297, 385
<i>Colysis</i>	267
<i>Colysis elliptica</i>	88
<i>Colysis hemionitidea</i>	88
<i>Colysis x kiusiana</i>	88
<i>Colysis pothifolia</i>	88
<i>Colysis wrightii</i>	93
<i>Coniogramme</i>	491, 545
<i>Coniogramme fraxinea</i>	43, 93
<i>Coniogramme intermedia</i>	3, 43, 106, 491
<i>Coniogramme japonica</i>	3, 94, 116, 250, 491
<i>Coniogramme pilosa</i>	45
<i>Cornopteris crenulato-serrulata</i>	106
<i>Cosentinia vellea</i>	250
<i>Crepidomanes auriculatum</i>	88
<i>Crepidomanes birmanicum</i>	88
<i>Crypsinus engleri</i>	88
<i>Crypsinus hastatus</i>	88, 93, 184
<i>Crypsinus yakushimensis</i>	88
<i>Cryptogramma</i>	3, 491
<i>Cryptogramma acrostichoides</i>	2, 3, 17, 25, 37, 43, 106, 166, 178, 273, 318, 331, 338, 350, 381, 440, 452, 471, 478, 489, 491, 545, 579, 591

<i>Cryptogramma acrostichoides</i>	2, 17
x <i>sitchensis</i>	
<i>Cryptogramma alpestris</i>	2, 17
<i>Cryptogramma cascadiensis</i>	17, 94, 152, 178, 318, 404
<i>Cryptogramma crispa</i>	52, 70, 96, 106, 144, 160, 191, 211, 287, 307, 320, 358, 366, 395, 431, 478, 523, 579
<i>Cryptogramma raddeana</i>	43
<i>Cryptogramma sitchensis</i>	2, 17, 440
(or <i>C. crispa</i> var. <i>sitchensis</i>)	
<i>Cryptogramma stelleri</i>	3, 37, 43, 67, 84, 307, 440, 491, 579, 598
<i>Ctenitis</i>	45, 93, 385
<i>Ctenitis borbonica</i>	568
<i>Ctenitis cyclochlamys</i>	561
<i>Ctenitis hemsleyana</i>	297
<i>Ctenitis maritime</i>	561
<i>Ctenitis nigrovenia</i>	297
<i>Ctenitis sloanei</i>	52
<i>Ctenopteris heterophylla</i>	556, 562
<i>Culcita</i>	462
<i>Culcita conifolia</i>	93, 297
<i>Culcita dubia</i>	250
<i>Culcita macrocarpa</i>	465
<i>Cyathea</i>	81, 93, 197, 248, 265, 297, 367, 379, 385, 462, 465, 467, 501, 513, 559, 562, 581
<i>Cyathea arborea</i>	54
<i>Cyathea australis</i>	106, 197, 250, 333, 462
<i>Cyathea australis</i>	94
'Norfolkensis'	
<i>Cyathea borbonica</i>	561, 568
<i>Cyathea braunii</i>	106
<i>Cyathea caracasana</i>	379
<i>Cyathea colensoi</i>	250, 562
<i>Cyathea cooperi</i>	54, 106, 197, 227, 250, 333, 465, 508, (or <i>Sphaeropteris cooperi</i>) 539, 561, 573
<i>Cyathea cooperi</i> 'Brentwood'	106, 250
<i>Cyathea cunninghamii</i>	106, 250, 556

<i>Cyathea dealbata</i>	38, 57, 556, 559
(or <i>Alsophila dealbata</i>)	
<i>Cyathea dregei</i>	250
<i>Cyathea excelsa</i>	561, 568
<i>Cyathea fulva</i>	297
<i>Cyathea glauca</i>	568
<i>Cyathea halonata</i>	379
<i>Cyathea leichhardtiana</i>	465
<i>Cyathea medullaris</i>	57, 200, 462, 465, 556, 559
(or <i>Sphaeropteris medullaris</i>)	
<i>Cyathea metteniana</i>	106
<i>Cyathea multiflora</i>	297
<i>Cyathea princeps</i>	197, 513
<i>Cyathea robertsiana</i>	106
<i>Cyathea sinuata</i>	462
<i>Cyathea smithii</i>	106, 562
<i>Cyathea spinulosa</i>	88
<i>Cyathea tomentosissima</i>	106
<i>Cyathea weatherbyana</i>	409
<i>Cyclopeltis semicordata</i>	297
<i>Cyclophorus lingua</i>	43
<i>Cyclosorus interruptus</i>	568
<i>Cyclosorus parasitica</i>	3
<i>Cyrtomium</i>	3, 81, 110, 178, 211, 383, 430, 460, 491, 501, 554, 555, 566, 579
<i>Cyrtomium balansae</i>	3, 110, 430, 491, 554
<i>Cyrtomium caryotideum</i>	3, 93, 94, 95, 96, 115, 160, 191, 211, 214, 287, 289, 296, 320, 349, 358, 395, 431, 478, 491, 493, 495, 502, 523, 554, 555, 566
<i>Cyrtomium caryotideum</i>	493
‘Dwarf Holly’	
<i>Cyrtomium caryotideum</i>	2, 3, 94, 96, 555
x <i>falcatum</i>	
<i>Cyrtomium falcatum</i>	3, 9, 47, 105, 106, 110, 180, 349, 443, 465, 485, 489, 491, 492, 495, 499, 502, 507, 523, 554, 555, 566, 573, 581
<i>Cyrtomium falcatum</i>	94, 554, 566, 573
‘Butterfieldii’	

<i>Cyrtomium falcatum</i> x <i>caryotideum</i>	17, 160, 211, 287, 296, 320, 358, 495, 554, 566
<i>Cyrtomium falcatum</i> ‘Eco Korean Jade’ (or ‘Eco Jade’)	296, 478, 489, 493, 495, 554, 555, 566
<i>Cyrtomium falcatum</i> var. <i>littorale</i>	515
<i>Cyrtomium falcatum</i> ‘Maritimum’	554, 566
<i>Cyrtomium falcatum</i> ‘Mayi’	478, 566
<i>Cyrtomium falcatum</i> ‘Minutissimum’	478
<i>Cyrtomium falcatum</i> ‘Rochfordianum’	2, 106, 296, 320, 358, 395, 431, 478, 489, 493, 494, 523, 554, 555, 566
<i>Cyrtomium fortunei</i>	3, 106, 110, 159, 260, 289, 296, 320, 326, 349, 358, 395, 431, 478, 491, 492, 493, 495, 502, 523, 554, 566
<i>Cyrtomium fortunei</i> var. <i>atropunctatum</i>	110
<i>Cyrtomium fortunei</i> ‘China ruffles’	554
<i>Cyrtomium fortunei</i> ‘Clivicola’	94, 110, 173, 491, 508, 566
<i>Cyrtomium fortunei</i> var. <i>fortunei</i>	555
<i>Cyrtomium fortunei</i> var. <i>intermedium</i>	17, 96, 106, 110, 160, 181, 191, 211, 287, 296, 320, 493, 495, 554, 555, 566
<i>Cyrtomium fraxinellum</i>	554
<i>Cyrtomium hemionitis</i>	502
<i>Cyrtomium lonchitoides</i>	96, 116, 160, 191, 211, 250, 287, 296, 320, 358, 395, 431, 478, 495, 523, 554, 555
<i>Cyrtomium macrophyllum</i>	2, 3, 17, 93, 96, 105, 106, 132, 160, 191, 211, 214, 226, 260, 287, 289, 296, 320, 349, 358, 375, 377, 395, 411, 431, 443, 468, 478, 489, 491, 493, 495, 502, 523, 554, 555

<i>Cyrtomium macrophyllum</i>	349
var. <i>micro-indusium</i>	
<i>Cyrtomium macrophyllum</i>	478
‘Nana’	
<i>Cyrtomium macrophyllum</i>	110, 349, 554
var. <i>tukusicola</i>	
<i>Cyrtomium nephrolepiodes</i>	554
<i>Cyrtomium taiwanianum</i>	554
<i>Cyrtomium urophyllum</i>	554
<i>Cyrtomium vittatum</i>	110, 554
<i>Cyrtomium yunnanense</i>	502
<i>Cystodium</i>	462
<i>Cystopteris</i>	9, 25, 76, 81, 109, 139, 237, 273, 329, 385, 406, 418, 449, 471, 508, 513, 522, 537, 545, 567, 579
<i>Cystopteris x alpina</i>	94, 250, 449
<i>Cystopteris bulbifera</i>	2, 5, 17, 37, 47, 67, 74, 81, 84, 101, 105, 106, 115, 140, 163, 166, 173, 181, 210, 224, 226, 228, 240, 241, 273, 286, 302, 311, 312, 326, 369, 375, 377, 405, 406, 411, 449, 457, 471, 478, 491, 492, 493, 495, 515, 523, 537, 567, 579
<i>Cystopteris bulbifera</i>	166, 226, 493
var. <i>crispa</i>	
<i>Cystopteris bulbifera</i>	241
x <i>protrusa</i>	
<i>Cystopteris diaphana</i>	465, 513
<i>Cystopteris dickeana</i>	106, 336, 449, 493
<i>Cystopteris fragilis</i>	5, 37, 47, 51, 67, 75, 85, 93, 98, 106, 111, 115, 139, 140, 173, 178, 181, 240, 273, 286, 297, 302, 307, 318, 331, 336, 343, 369, 381, 406, 440, 449, 452, 463, 488, 491, 493, 499, 513, 534, 545, 567, 579, 591
<i>Cystopteris fragilis</i> ‘Cristata’	449
<i>Cystopteris fragilis</i>	see <i>Cystopteris tenuis</i>
var. <i>mackayi</i>	
<i>Cystopteris fragilis x tenuis</i>	471, 567

<i>Cystopteris fragilis</i>	471
<i>x utahensis</i>	
<i>Cystopteris</i> “ <i>haufleri</i> ”	471
<i>Cystopteris</i> “ <i>haufleri</i> ” <i>x tenuis</i>	471
<i>Cystopteris x illinoensis</i>	515
<i>Cystopteris laurentiana</i>	173, 449
<i>Cystopteris membranifolia</i>	513
<i>Cystopteris montana</i>	37, 94, 257, 336, 440, 449
<i>Cystopteris protrusa</i>	2, 17, 67, 74, 94, 111, 166, 173, 226, 241, 286, 302, 311, 343, 406, 438, 449, 457, 493, 495, 502, 508, 515, 537, 567, 579
<i>Cystopteris reevesiana</i>	139, 449, 471
<i>Cystopteris reevesiana</i> <i>x utahensis</i>	139
<i>Cystopteris sudetica</i>	250, 257
<i>Cystopteris tasmanica</i>	200
<i>Cystopteris tennesseensis</i>	2, 17, 67, 74, 111, 173, 226, 241, 302, 343, 406, 457, 491, 495, 501, 515, 537
<i>Cystopteris tenuis</i>	111, 226, 241, 286, 343, 405, 406, 449, 471, 508, 515, 537, 567, 580
<i>Cystopteris tenuis x fragilis</i>	471
<i>Cystopteris tenuis x utahensis</i>	471
<i>Cystopteris utahensis</i>	139, 471
<i>Cystopteris x wagneri</i>	537
<i>Danaea</i>	297, 385
<i>Danaea cuspidate</i>	297
<i>Danaea moritziana</i>	379
<i>Danaea nodosa</i>	297
<i>Danaea wendlandii</i>	297
<i>Davallia</i>	9, 81, 106, 115, 267, 367, 459, 526, 539, 581
<i>Davallia mariesii</i>	106, 336, 526
<i>Davallia mariesii</i> ‘Korea Rocks’	526
<i>Davallia mariesii</i> var. <i>mariesii</i>	526
<i>Davallia mariesii</i> var. <i>stenolepis</i> or var. <i>trichomanoides</i>	526

<i>Davallia pyxidata</i>	106
<i>Davallia repens</i>	502
<i>Davallia solida</i>	586
<i>Davallia solida</i> var. <i>lindleyi</i>	93
<i>Davallia tasmanii</i>	57, 250
<i>Dendrolycopodium</i>	see <i>Lycopodium obscurum</i> , <i>L. hickeyi</i> & <i>L. dendroideum</i>
<i>Dennstaedtia</i>	81, 385, 467, 491, 579
<i>Dennstaedtia arborescens</i>	297
<i>Dennstaedtia davallioides</i>	539
<i>Dennstaedtia dissecta</i>	297
<i>Dennstaedtia distenta</i>	102
<i>Dennstaedtia hirsute</i>	106
<i>Dennstaedtia punctilobula</i>	2, 5, 17, 47, 51, 67, 74, 75, 85, 93, 105, 106, 163, 166, 181, 224, 226, 228, 273, 279, 369, 406, 412, 473, 491, 495, 508, 514, 515, 580
<i>Dennstaedtia sprucei</i>	385
<i>Dennstaedtia vagans</i>	379
<i>Dennstaedtia wilfordii</i>	5, 491, 539, 545
<i>Deparia</i>	579
<i>Deparia acrostichoides</i> (or <i>Athyrium thelypteroides</i>)	2, 17, 47, 51, 65, 67, 74, 75, 105, 106, 109, 115, 160, 166, 224, 226, 240, 241, 250, 273, 286, 287, 303, 312, 326, 369, 375, 377, 388, 405, 406, 411, 490, 491, 493, 495, 508, 515, 523
<i>Deparia conilii</i>	515
<i>Deparia fenzliana</i>	45
<i>Deparia japonica</i> (or <i>Athyrium japonicum</i>)	37, 43, 94, 184, 296, 312, 326, 493, 502
<i>Deparia petersenii</i>	106, 556, 562
<i>Deparia prolifera</i>	45
<i>Deparia pycnosora</i>	493
<i>Dicksonia</i>	81, 367, 462, 556, 562
<i>Dicksonia antarctica</i>	93, 105, 106, 197, 333, 459, 462, 465, 539, 573, 594
<i>Dicksonia berteriana</i>	367
<i>Dicksonia fibrosa</i>	93, 106, 197, 333, 443, 562
<i>Dicksonia lanata</i>	197, 250

<i>Dicksonia sellowiana</i>	297, 367
<i>Dicksonia squarrosa</i>	93, 106, 197, 200, 556, 562
<i>Dicksonia youngiae</i>	93, 106
<i>Dicranopteris</i>	259, 568
<i>Dicranopteris linearis</i>	45, 88
<i>Didymochlaena</i>	385
<i>Didymochlaena truncatula</i>	250, 573
<i>Diellia</i>	413
<i>Diphasiastrum</i>	331, 378, 511, 519
<i>Diphasiastrum alpinum</i> (or <i>Lycopodium alpinum</i>)	111, 331, 440, 511, 519
<i>Diphasiastrum complanatum</i> (or <i>Lycopodium complanatum</i>)	67, 94, 106, 111, 166, 336, 440, 511, 519, 567, 598
<i>Diphasiastrum complanatum</i> x <i>digitatum</i>	519
<i>Diphasiastrum digitatum</i> (or <i>Lycopodium digitatum</i>)	51, 67, 74, 75, 109, 111, 130, 226, 297, 378, 406, 519, 567
<i>Diphasiastrum</i> x <i>habereri</i> (or <i>Lycopodium</i> x <i>habereri</i>)	109, 111, 378, 519
<i>Diphasiastrum</i> x <i>issleri</i>	511, 519
<i>Diphasiastrum</i> x <i>sabinifolium</i>	519, 598
<i>Diphasiastrum sitchense</i> (or <i>Lycopodium sitchense</i>)	111, 331, 440, 519, 591
<i>Diphasiastrum tristachyum</i> (or <i>Lycopodium tristachyum</i>)	75, 85, 106, 109, 111, 378, 406, 511, 519
<i>Diphasiastrum</i> x <i>zeilleri</i>	519
<i>Diplazium</i>	21, 45, 88, 181, 379, 385, 539, 579
<i>Diplazium australe</i>	250, 562
<i>Diplazium caudatum</i>	539
<i>Diplazium ceratolepis</i>	93
<i>Diplazium chimborazense</i>	379
<i>Diplazium conilii</i> (or <i>Deparia conilii</i>)	493, 508
<i>Diplazium cristata</i>	93
<i>Diplazium dilatatum</i>	88
<i>Diplazium dilatatum</i> var. <i>dilatatum</i>	502

<i>Diplazium dilatatum</i>	502
var. <i>heterolepia</i>	
<i>Diplazium divisissimum</i>	379
<i>Diplazium doederleinii</i>	502
<i>Diplazium donianum</i>	88, 502
<i>Diplazium</i> ‘Eco Ming Charm’	493
<i>Diplazium esculentum</i>	9, 465, 581
<i>Diplazium hachijoense</i>	502
<i>Diplazium japonicum</i>	see <i>Deparia japonica</i>
<i>Diplazium</i> x <i>kawabatae</i>	502
<i>procumbens</i>	
<i>Diplazium kawakamii</i>	88
<i>Diplazium kawakamii</i>	502
var. <i>kawakamii</i>	
<i>Diplazium lanceum</i>	93
var. <i>dentate</i>	
<i>Diplazium lonchophyllum</i>	93
<i>Diplazium macrophyllum</i>	297
<i>Diplazium mettenianum</i>	88
<i>Diplazium</i> x <i>nakamurae</i>	502
<i>Diplazium okudairae</i>	5, 491
<i>Diplazium proliferum</i>	561, 568, 581
<i>Diplazium pycnocarpon</i>	105, 106, 166, 224, 241, 286, 302, 406, 490, 491, 493, 494, 495, 515, 535, 559, 580
<i>Diplazium sibericum</i>	43
(or <i>Athyrium sibericum</i>)	
<i>Diplazium simplicivenium</i>	502
<i>Diplazium squamigerum</i>	515
<i>Diplazium striatastrum</i>	297
<i>Diplazium subsinuatatum</i>	88
<i>Diplazium taiwanense</i>	502
<i>Diplazium</i> x <i>takii</i>	502
<i>Diplazium tomitaroanum</i>	88
<i>Diplazium virescens</i>	502
var. <i>conterminum</i>	
<i>Diplazium virescens</i>	502
var. <i>okinawaense</i>	
<i>Diplazium virescens</i>	502
var. <i>virescens</i>	

<i>Diplazium wercklerianum</i>	93
<i>Diplopterygium</i>	385
<i>Diplopterygium bancroftii</i>	379
<i>Diplopterygium pinnatum</i>	45
<i>Dipteris</i>	259
<i>Doodia</i>	559
<i>Doodia aspera</i>	93, 106, 296
<i>Doodia kunthiana</i>	45
<i>Doodia media</i>	5, 94, 105, 106, 149, 250, 320, 356, 358, 395, 431, 443, 478, 491, 523, 556
<i>Doodia media</i> var. <i>australis</i>	106
<i>Doodia media</i> ‘Cairns’	106
<i>Doryopteris elegans</i>	93
<i>Doryopteris nobilis</i>	9
<i>Doryopteris pedata</i>	93
<i>Doryopteris pedata</i> var. <i>palmata</i>	297
<i>Drynaria</i>	81, 93, 205, 267, 573
<i>Drynaria quercifolia</i>	93, 573
<i>Drynaria rigidula</i>	93, 111
<i>Drynaria sinica</i>	588
<i>Dryopteris</i>	15, 25, 45, 74, 81, 88, 93, 106, 111, 122, 130, 144, 146, 148, 152, 172, 178, 182, 193, 232, 237, 250, 256, 263, 266, 276, 278, 297, 312, 326, 340, 346, 357, 367, 374, 375, 378, 382, 388, 406, 413, 437, 462, 465, 467, 472, 478, 489, 490, 491, 492, 497, 501, 508, 511, 513, 514, 515, 531, 539, 541, 554, 559, 573, 580, 598
<i>Dryopteris abbreviata</i> ‘Crispa’	37
(or <i>D. oreades</i> ‘Crispa’)	
<i>Dryopteris acutidens</i>	45
<i>Dryopteris acuto-dentata</i>	147, 502
<i>Dryopteris aemula</i>	2, 17, 96, 133, 138, 160, 211, 287

<i>Dryopteris affinis</i>	5, 37, 41, 94, 106, 115, 138, 143, 146,
(or <i>D. pseudo-mas</i>)	191, 210, 213, 226, 247, 257, 289,
(or <i>D. borrieri</i>)	296, 312, 320, 326, 329, 335, 358,
	374, 395, 431, 435, 472, 478, 483,
	488, 490, 491, 492, 494, 495, 501,
	502, 521, 523, 545
<i>Dryopteris affinis</i> var. <i>affinis</i>	106, 226, 228, 374
<i>Dryopteris affinis</i> ssp. <i>affinis</i>	260, 431
var. <i>azorica</i>	
<i>Dryopteris affinis</i>	94
‘Angustata Cristata’	
<i>Dryopteris affinis</i> ‘Azorica’	320, 358, 395, 478, 523
<i>Dryopteris affinis</i> ssp. <i>borrieri</i>	545
<i>Dryopteris affinis</i>	94, 106, 115, 507
ssp. <i>borrieri</i> var. <i>borrieri</i>	
<i>Dryopteris affinis</i>	36, 106, 191, 226, 493, 495
‘Cambrensis’	
(or <i>D. a.</i> ssp. <i>cambrensis</i>)	
<i>Dryopteris affinis</i>	435, 489
‘Congesta Cristata’	
<i>Dryopteris affinis</i> ‘Crispa’	2, 17, 36, 41, 94, 101, 105, 106, 181,
	226, 228, 320
<i>Dryopteris affinis</i>	226, 289, 320, 358, 395, 431, 478,
‘Crispa Barnes’	493, 494, 523
<i>Dryopteris affinis</i>	191
‘Crispa Congesta’	
<i>Dryopteris affinis</i>	493
‘Crispa Cristata’	
<i>Dryopteris affinis</i>	41, 106, 191, 228, 435, 443, 478, 493,
‘Crispa Gracilis’	494, 495
<i>Dryopteris affinis</i>	106
‘Crispa Stableri’	
<i>Dryopteris affinis</i> ‘Cristata’	106, 493, 500
or <i>D. pseudo-mas</i> ‘Cristata’	
<i>Dryopteris affinis</i>	41, 492, 495, 531
‘Cristata Angustata’	
<i>Dryopteris affinis</i>	106
var. <i>disjuncta</i>	
<i>Dryopteris affinis</i> x <i>felix-mas</i>	493

<i>Dryopteris affinis</i> x <i>filix-mas</i>	2, 5, 36, 41, 47, 96, 105, 106, 161,
‘Robust’ (or <i>D. f-m</i>	163, 164, 210, 211, 226, 240, 287,
‘Undulata Robusta’)	320, 358, 395, 478, 493, 523
<i>Dryopteris affinis</i> ‘Grandiceps’	435
<i>Dryopteris affinis</i>	94
‘Grandiceps Askew’	
<i>Dryopteris affinis</i> ‘Persica’	106
<i>Dryopteris affinis</i> ‘Pinderi’	94, 115
<i>Dryopteris affinis</i>	106
‘Polydactyla Dadds’	
<i>Dryopteris affinis</i>	94
‘Polydactyla Harvey’	
<i>Dryopteris affinis</i>	493
‘Polydactyla Mapplebeck’	
<i>Dryopteris affinis</i>	106
var. <i>pseudodisjuncta</i>	
<i>Dryopteris affinis</i> var. <i>punctata</i>	106, 115
<i>Dryopteris affinis</i>	41, 435, 493, 515
‘Revolvens’	
<i>Dryopteris affinis</i> ‘Robusta’	106, 138
(or <i>D. a.</i> ssp. <i>robusta</i>)	
<i>Dryopteris affinis</i>	489, 495
‘Rumpelstiltskin’	
<i>Dryopteris affinis</i>	41, 494, 495
‘Stableri’	
<i>Dryopteris affinis</i>	41, 240
‘Stableri Crisped’	
<i>Dryopteris affinis</i>	106
var. <i>stilluppensis</i>	
<i>Dryopteris affinis</i> ‘The King’	41, 47, 106, 191, 214, 226, 228, 289,
or ‘Cristata the King’	395, 431, 435, 492, 493, 494, 495
<i>Dryopteris aitoniana</i>	539
<i>Dryopteris alexeenkoana</i>	43
<i>Dryopteris alpestris</i>	147
<i>Dryopteris</i> x <i>ambroseae</i>	545
<i>Dryopteris amurensis</i>	43, 106
<i>Dryopteris angustifrons</i>	147
<i>Dryopteris approximata</i>	147
<i>Dryopteris ardechensis</i>	146

<i>Dryopteris arguta</i>	5, 92, 93, 106, 161, 163, 164, 191, 210, 214, 216, 226, 250, 296, 307, 318, 320, 358, 491, 534
<i>Dryopteris assamensis</i>	147
<i>Dryopteris assimilis</i>	see <i>Dryopteris expansa</i>
<i>Dryopteris athamantica</i>	250
<i>Dryopteris atrata</i>	see <i>Dryopteris cycadina</i>
<i>Dryopteris x australis</i>	74, 263, 292, 330, 358, 375, 377, 395, 406, 411, 429, 431, 478, 485, 490, 491, 492, 493, 494, 495, 508, 523, 531, 538, 573, 580
<i>Dryopteris austriaca</i> (or <i>D. expansa</i> or <i>D. dilatata</i>)	152, 261
<i>Dryopteris austriaca</i> var. <i>spinulosa</i>	93, 106
<i>Dryopteris austro-indica</i>	147
<i>Dryopteris azorica</i>	250, 465, 495
<i>Dryopteris barbellata</i>	43
<i>Dryopteris barbigera</i>	147
<i>Dryopteris basisora</i>	502
<i>Dryopteris x benedictii</i>	74, 406, 426
<i>Dryopteris bissetiana</i> (or <i>D. varia</i> var. <i>setosa</i>)	2, 17, 36, 88, 96, 161, 162, 163, 164, 191, 211, 215, 216, 220, 226, 228, 287, 293, 296, 320, 358, 375, 395, 430, 431, 435, 436, 478, 493, 495, 502, 508, 523
<i>Dryopteris blanfordii</i>	106, 147, 260, 296, 320, 358, 374, 395, 431, 478, 489, 491, 495, 502, 523
<i>Dryopteris bonatiana</i>	147
<i>Dryopteris x boottii</i>	67, 74, 85, 106, 166, 226, 263, 326, 406, 490, 493, 515, 580
<i>Dryopteris borrieri</i>	see <i>Dryopteris affinis</i>
<i>Dryopteris x burgessii</i>	420
<i>Dryopteris buschiana</i>	43
<i>Dryopteris cambrensis</i>	106
<i>Dryopteris campyloptera</i> (or <i>D. austriaca</i>)	74, 106, 130, 163, 166, 210, 226, 391, 495
<i>Dryopteris campyloptera</i> <i>x intermedia</i>	580

<i>Dryopteris campyloptera</i> x <i>marginalis</i>	74, 226
<i>Dryopteris caroli-hopei</i>	146, 147
<i>Dryopteris carthusiana</i> (or <i>D. spinulosa</i>)	9, 47, 51, 67, 74, 75, 84, 85, 105, 106, 109, 111, 138, 166, 191, 226, 228, 241, 261, 273, 286, 296, 302, 311, 312, 326, 339, 345, 369, 375, 377, 391, 405, 406, 407, 411, 426, 473, 489, 490, 491, 493, 495, 514, 515, 523, 567, 579, 585
<i>Dryopteris carthusiana</i> var. <i>alpina</i>	133
<i>Dryopteris carthusiana</i> var. <i>fructuosa</i>	85
<i>Dryopteris carthusiana</i> x <i>intermedia</i>	see <i>Dryopteris</i> x <i>triploidea</i>
<i>Dryopteris cashmiriana</i>	431
<i>Dryopteris caucasica</i>	25, 43, 146, 491, 495, 497
<i>Dryopteris caucasica</i> x <i>oreades</i>	345
<i>Dryopteris celsa</i>	14, 47, 62, 74, 81, 106, 111, 169, 175, 210, 213, 226, 240, 286, 287, 289, 292, 296, 302, 311, 320, 326, 339, 358, 375, 377, 391, 395, 406, 411, 426, 429, 431, 438, 478, 481, 489, 490, 491, 492, 493, 495, 501, 508, 515, 523, 573, 580
<i>Dryopteris celsa</i> x <i>cristata</i> (or <i>D. atropalustris</i>)	74, 226
<i>Dryopteris celsa</i> x <i>goldiana</i>	74
<i>Dryopteris celsa</i> x <i>spinulosa</i>	226
<i>Dryopteris championii</i>	2, 5, 17, 37, 96, 106, 149, 160, 169, 184, 191, 210, 211, 213, 226, 287, 289, 296, 320, 358, 375, 377, 395, 411, 431, 436, 478, 489, 490, 491, 493, 495, 502, 523, 573
<i>Dryopteris chinensis</i>	43, 106, 184, 502
<i>Dryopteris chrysocoma</i>	147

<i>Dryopteris clintoniana</i>	5, 47, 74, 106, 166, 181, 226, 273, 312, 326, 339, 369, 375, 377, 391, 395, 397, 406, 411, 426, 431, 478, 490, 492, 493, 494, 495, 523, 580
<i>Dryopteris clintoniana</i> x <i>cristata</i>	74, 406
<i>Dryopteris clintoniana</i> x <i>goldiana</i>	2, 17, 74, 96, 160, 166, 211, 226, 287, 320, 406
<i>Dryopteris clintoniana</i> x <i>marginalis</i>	226, 406
<i>Dryopteris cochleata</i>	147
<i>Dryopteris</i> x <i>complexa</i>	106, 191, 214, 215, 216, 228, 296, 375, 377, 411, 435, 491, 493, 495, 515
<i>Dryopteris</i> x <i>complexa</i> 'Rumpelstiltskin'	478, 493, 495
<i>Dryopteris</i> x <i>complexa</i> 'Stableri'	493
<i>Dryopteris</i> x <i>complexa</i> 'Stableri Crisped'	478, 493
<i>Dryopteris conjugata</i>	147, 481
<i>Dryopteris continentalis</i>	43
<i>Dryopteris coreano-montana</i>	see <i>Dryopteris sichotensis</i>
<i>Dryopteris corleyi</i>	146, 293, 358, 395, 431, 478, 523
<i>Dryopteris crassirhizoma</i>	5, 43, 81, 106, 166, 169, 175, 181, 184, 191, 210, 213, 214, 260, 287, 289, 296, 320, 326, 358, 375, 377, 395, 411, 431, 472, 478, 489, 490, 491, 492, 493, 523, 539
<i>Dryopteris crispifolia</i>	296, 320, 358, 443, 465, 489, 495
<i>Dryopteris cristata</i>	5, 47, 51, 67, 74, 84, 85, 106, 111, 130, 166, 226, 228, 240, 263, 273, 286, 293, 296, 326, 330, 358, 369, 375, 377, 391, 395, 406, 411, 426, 431, 478, 490, 491, 495, 515, 523, 567, 580
<i>Dryopteris cristata</i> 'Angustata'	25
<i>Dryopteris cristata</i> x <i>intermedia</i>	130

<i>Dryopteris cycadina</i> (or <i>D. atrata</i>)	2, 5, 9, 17, 21, 38, 81, 86, 105, 106, 116, 136, 160, 180, 181, 191, 210, 211, 213, 215, 226, 271, 287, 289, 296, 320, 358, 395, 397, 431, 478, 489, 491, 493, 494, 495, 502, 523
<i>Dryopteris cystolepidota</i> (or <i>D. nipponensis</i>) (or <i>D. erythrosora</i> var. <i>dilatata</i>)	2, 17, 37, 43, 96, 106, 160, 191, 211, 226, 228, 287, 296, 320, 358, 395, 431, 436, 478, 489, 491, 493, 495, 502, 523, 573
<i>Dryopteris darjeelingensis</i>	see <i>Dryopteris gamblei</i>
<i>Dryopteris decipiens</i>	2, 17, 93, 94, 296, 493, 502
<i>Dryopteris deparioides</i>	147
<i>Dryopteris x deweveri</i>	226
<i>Dryopteris dickinsii</i>	106, 116, 147, 296, 495, 502
<i>Dryopteris dickinsii</i> ‘Crispa’	493, 495
<i>Dryopteris dickinsii</i> ‘Incisa’	106
<i>Dryopteris diffracta</i>	147
<i>Dryopteris dilatata</i>	2, 5, 17, 37, 41, 96, 106, 133, 138, 160, 191, 211, 215, 261, 273, 287, 296, 320, 358, 374, 391, 395, 431, 465, 478, 490, 491, 493, 495, 515, 523, 539, 545
<i>Dryopteris dilatata</i> var. <i>alpina</i>	261
<i>Dryopteris dilatata</i> ‘Compacta’	493
<i>Dryopteris dilatata</i> ‘Crispa Whiteside’	2, 41, 106, 115, 191, 261, 489, 493, 495, 500, 523
<i>Dryopteris dilatata</i> ‘Cristata’	261
<i>Dryopteris dilatata</i> var. <i>dolobrata</i>	191
<i>Dryopteris dilatata</i> ‘Grandiceps’	106, 261
<i>Dryopteris dilatata</i> ‘Jimmy Dyce’	36, 41, 105, 106, 161, 162, 164, 191, 210, 228, 261, 320, 358, 489, 490, 493, 495
<i>Dryopteris dilatata</i> ‘Lepidota Crispa’	160, 211, 287, 320, 495
<i>Dryopteris dilatata</i> ‘Lepidota Cristata’	2, 17, 25, 41, 95, 96, 106, 161, 162, 163, 164, 166, 191, 210, 214, 215, 216, 226, 228, 261, 320, 493, 494

<i>Dryopteris dilatata</i> ‘Recurvata’	2, 17, 41, 96, 105, 106, 160, 166, 211,
(or ‘Recurved Form’)	226, 261, 287, 320, 493, 495
<i>Dryopteris dilatata</i>	226
‘Stansfieldii’	
<i>Dryopteris dilatata</i> ‘Succisa’	261
<i>Dryopteris</i> x <i>dowellii</i>	67, 74, 226, 406, 426
<i>Dryopteris dracomontana</i>	250, 336
<i>Dryopteris erythrosora</i>	2, 5, 17, 36, 37, 38, 47, 86, 96, 101, 105, 106, 116, 160, 180, 181, 191, 211, 212, 226, 228, 240, 266, 287, 296, 312, 320, 326, 340, 358, 375, 377, 395, 404, 411, 430, 431, 435, 436, 468, 478, 479, 485, 488, 489, 490, 491, 492, 493, 494, 495, 496, 502, 507, 523, 559, 573, 581
<i>Dryopteris erythrosora</i>	478, 493
‘Brilliance’	
<i>Dryopteris erythrosora</i>	495
‘Gracilis’	
<i>Dryopteris erythrosora</i>	2, 17, 96, 106, 160, 181, 191, 226,
var. <i>prolifera</i>	287, 296, 320, 358, 395, 431, 478, 493, 495, 523
<i>Dryopteris erythrosora</i>	493
‘Red Spore’	
<i>Dryopteris erythrosora</i>	436
var. <i>viridisora</i>	
<i>Dryopteris erythrosora</i>	296
‘Whirleytops’	
<i>Dryopteris erythrosora</i>	191
“White Sori Form”	
<i>Dryopteris expansa</i>	41, 81, 93, 106, 133, 138, 146, 166,
(or <i>D. assimilis</i>)	178, 226, 261, 273, 296, 307, 320,
(or <i>D. dilatata</i> ssp.	331, 374, 375, 377, 381, 391, 395,
<i>americana</i>)	404, 411, 431, 440, 452, 478, 489,
(or <i>D. austriaca</i>)	490, 492, 493, 495, 523, 545, 591
<i>Dryopteris expansa</i>	394, 545
var. <i>willeana</i>	

<i>Dryopteris filix-mas</i>	2, 5, 9, 14, 17, 25, 36, 37, 41, 67, 74, 79, 96, 98, 105, 106, 119, 138, 139, 146, 147, 163, 166, 180, 189, 198, 210, 211, 226, 228, 240, 263, 273, 287, 296, 307, 312, 320, 326, 329, 345, 346, 347, 358, 369, 374, 375, 377, 378, 381, 382, 395, 411, 431, 432, 457, 478, 483, 491, 492, 493, 494, 495, 497, 499, 500, 507, 511, 515, 523, 545, 573
<i>Dryopteris filix-mas</i> ‘Barnesii’	5, 37, 41, 94, 105, 106, 169, 191, 226, 488, 490, 491, 492, 493, 495, 515, 531
<i>Dryopteris filix-mas</i> ‘Bollandiae’	37, 257
<i>Dryopteris filix-mas</i> ‘Crispa’	94
<i>Dryopteris filix-mas</i> ‘Crispa Cristata’	37, 228, 478
<i>Dryopteris filix-mas</i> ‘Crispatissima’	356, 431, 478, 493, 495, 523
<i>Dryopteris filix-mas</i> ‘Cristata’	41, 106, 166, 191, 226, 493, 523
<i>Dryopteris filix-mas</i> ‘Cristata Jackson’	115, 228, 493
<i>Dryopteris filix-mas</i> ‘Cristata Martindale’	94, 106, 115, 226, 492, 493
<i>Dryopteris filix-mas</i> ‘Cristata Nana’	94
<i>Dryopteris filix-mas</i> ‘Cristata the King’	140
<i>Dryopteris filix-mas</i> ‘Furcans’	478
<i>Dryopteris filix-mas</i> ‘Grandiceps’	5, 41, 94, 106, 191, 228, 491, 492, 493, 495
<i>Dryopteris filix-mas</i> ‘Grandiceps Askew’	545
<i>Dryopteris filix-mas</i> ‘Grandiceps Wills’	493
<i>Dryopteris filix-mas</i> ‘Linearis’	5, 106, 491, 493

<i>Dryopteris filix-mas</i>	240, 493, 495
‘Linearis Congesta’	
<i>Dryopteris filix-mas</i>	37
‘Linearis Cristata’	
<i>Dryopteris filix-mas</i>	115
‘Linearis Plumosa’	
<i>Dryopteris filix-mas</i>	2, 17, 37, 41, 95, 96, 106, 160, 211,
‘Linearis Polydactyla’	228, 240, 287, 289, 320, 478, 488, 493, 495, 523
<i>Dryopteris filix-mas</i>	74
x <i>marginalis</i>	
<i>Dryopteris filix-mas</i>	106
‘Martindale’	
<i>Dryopteris filix-mas</i>	495
‘Multicristata’	
<i>Dryopteris filix-mas</i> ‘Parsley’	493, 515
<i>Dryopteris filix-mas</i> ‘Pendans’	226
<i>Dryopteris filix-mas</i>	106, 191
‘Polydactyla’	
<i>Dryopteris filix-mas</i>	257
‘Ramosissima Wright’	
<i>Dryopteris filix-mas</i> ‘Stableri’	191
<i>Dryopteris filix-mas</i>	106
‘Sublinearis’	
<i>Dryopteris filix-mas</i>	115
‘Sublinearis Polydactyla’	
<i>Dryopteris filix-mas</i>	see <i>Dryopteris affinis</i> x <i>filix-mas</i> ‘Robust’
‘Undulata Robusta’	
<i>Dryopteris formosana</i>	17, 88, 94, 96, 211, 226, 287, 296, 320, 358, 395, 431, 478, 489, 493, 495, 502, 523, 530
<i>Dryopteris fragrans</i>	43, 106, 163, 210, 273, 320, 336, 395, 431, 478, 539, 598
<i>Dryopteris fragrans</i>	43
var. <i>lepidota</i>	
<i>Dryopteris fragrans</i>	43
var. <i>remotiuscula</i>	
<i>Dryopteris</i> x <i>fraser-jenkinsii</i>	146
<i>Dryopteris fructuosa</i>	106, 147

<i>Dryopteris fuscipes</i>	296, 478, 502
<i>Dryopteris fusco-atra</i>	45
<i>Dryopteris gamblei</i> (or <i>D. darjeelingensis</i>)	96, 147, 160, 191, 211, 287, 296, 320
<i>Dryopteris glabra</i>	45
<i>Dryopteris goeringiana</i>	see <i>Dryopteris laeta</i>
<i>Dryopteris goldiana</i>	5, 14, 37, 47, 51, 62, 65, 67, 74, 75, 81, 84, 93, 105, 106, 111, 130, 166, 181, 191, 224, 226, 240, 241, 263, 273, 286, 296, 302, 312, 326, 339, 357, 369, 375, 377, 391, 392, 405, 406, 411, 426, 443, 478, 489, 490, 491, 492, 493, 494, 495, 508, 515, 523, 580
<i>Dryopteris goldiana</i> x <i>Polystichum lonchitis</i>	339
<i>Dryopteris gymnosora</i>	2, 17, 88, 115, 226, 502
<i>Dryopteris hadanoi</i>	502
<i>Dryopteris hakonecola</i>	502
<i>Dryopteris hangchoensis</i>	106
<i>Dryopteris hasseltii</i>	147
<i>Dryopteris hawaiiensis</i>	45
<i>Dryopteris hayatae</i>	88
<i>Dryopteris hendersonii</i>	88
<i>Dryopteris himachalensis</i>	147
<i>Dryopteris hirtipes</i>	94, 147, 271
<i>Dryopteris hondoensis</i>	5, 106, 296, 356, 431, 436, 478, 491, 493, 495, 502, 515, 523
<i>Dryopteris indusiata</i>	88, 478, 495, 502, 523
<i>Dryopteris integriloba</i>	502
 <i>Dryopteris intermedia</i>	 5, 37, 47, 51, 67, 74, 75, 84, 85, 93, 106, 109, 111, 130, 166, 224, 226, 228, 241, 263, 273, 286, 302, 312, 326, 339, 345, 369, 375, 377, 379, 391, 405, 406, 411, 426, 429, 435, 473, 490, 491, 492, 493, 495, 514, 515, 523, 567, 580

<i>Dryopteris intermedia</i>	541
var. <i>intermedia</i>	
<i>Dryopteris intermedia</i>	115
ssp. <i>maderensis</i>	
<i>Dryopteris intermedia</i>	74, 226, 598
x <i>marginalis</i>	
<i>Dryopteris juxtaposita</i>	147, 191, 296, 335, 357, 491, 502, 585
<i>Dryopteris kamtschatica</i>	43
<i>Dryopteris kashmiriana</i>	293, 358, 395, 478, 523
<i>Dryopteris khullarii</i>	147, 502
<i>Dryopteris kinkiensis</i>	436
<i>Dryopteris koidzumiana</i>	296, 436, 489, 491
<i>Dryopteris komarovii</i>	43
<i>Dryopteris kuratae</i>	226, 485, 491, 502
<i>Dryopteris lacera</i>	2, 5, 17, 37, 96, 106, 136, 184, 190, (or <i>D. l.</i> 'Affinity?')
	211, 226, 287, 296, 320, 330, 357, 358, 395, 431, 478, 490, 491, 493, 494, 523, 541, 579
<i>Dryopteris lachoongensis</i>	147
<i>Dryopteris laeta</i>	43, 287, 320, 495, 585
(or <i>D. goeringianum</i>)	
(or <i>D. wladivostokensis</i>)	
<i>Dryopteris</i> x <i>leedsii</i>	226, 286, 508, 515, 580
<i>Dryopteris lepidopoda</i>	96, 106, 143, 147, 211, 260, 287, 296, 320, 358, 395, 431, 468, 478, 489, 490, 491, 493, 494, 495, 496, 502, 523
<i>Dryopteris lepidopoda</i>	493
'Crystata'	
<i>Dryopteris liliana</i>	43
(or <i>D. aemula</i> ssp. <i>liliana</i>)	
<i>Dryopteris ludoviciana</i>	2, 17, 65, 74, 94, 96, 105, 106, 111, 166, 180, 211, 226, 287, 296, 302, 320, 358, 395, 406, 429, 431, 478, 485, 494, 495, 515, 523, 573, 580

<i>Dryopteris lunanensis</i>	147
<i>Dryopteris macrochlamys</i>	147
<i>Dryopteris madrasensis</i>	147
<i>Dryopteris magellanica</i>	250
<i>Dryopteris marginalis</i>	5, 37, 47, 51, 65, 67, 74, 75, 85, 92, 101, 105, 106, 111, 130, 132, 136, 163, 166, 181, 189, 190, 191, 210, 226, 228, 232, 240, 241, 263, 273, 286, 296, 302, 312, 326, 339, 345, 358, 369, 375, 377, 379, 391, 395, 405, 406, 407, 411, 426, 429, 431, 435, 478, 490, 491, 492, 493, 494, 495, 508, 514, 515, 523, 545, 573, 580
<i>Dryopteris marginata</i>	147, 585
<i>Dryopteris mediterranea</i>	43
<i>Dryopteris</i> x <i>mickelii</i>	263
<i>Dryopteris mindshelkensis</i>	see <i>Dryopteris villarii</i>
<i>Dryopteris miqueliana</i> (or <i>Rumohra miqueliana</i>)	43
<i>Dryopteris montana</i>	493
<i>Dryopteris monticola</i>	43, 515, 539
<i>Dryopteris muenchii</i>	296, 495, 513
<i>Dryopteris munchii</i>	see above
<i>Dryopteris mutica</i> (or <i>Rumohra mutica</i>)	43
<i>Dryopteris namegatae</i>	115, 220, 296, 375, 431, 478, 485, 502, 523
<i>Dryopteris neolacrea</i>	541
<i>Dryopteris neorosthornii</i>	147, 491, 502
<i>Dryopteris</i> x <i>neo-wherryi</i> (<i>D. goldiana</i> x <i>D. marginalis</i>)	51, 111, 226, 241, 339, 406, 598
<i>Dryopteris nigropaleacea</i>	146, 147, 335, 585
<i>Dryopteris nipponensis</i>	see <i>Dryopteris cystolepidota</i>
<i>Dryopteris nobilis</i>	147
<i>Dryopteris normalis</i>	see <i>Thelypteris kunthii</i>
<i>Dryopteris odontoloma</i>	147, 335, 478, 490, 493, 502
<i>Dryopteris oligodonta</i>	490

<i>Dryopteris oreades</i>	43, 96, 106, 214, 287, 429, 431, 478,
(or <i>D. abbreviata</i>)	493, 495, 497, 531
<i>Dryopteris oreades</i> ‘Crispa’	296, 320, 491, 495
(or <i>D. o.</i> ‘Crispifolia’)	
<i>Dryopteris pacifica</i>	88, 358, 395, 431, 478, 491, 502, 523
<i>Dryopteris pallida</i>	106
<i>Dryopteris pallida</i> var. <i>pallida</i>	106
<i>Dryopteris pallida</i>	106
var. <i>raddeana</i>	
<i>Dryopteris panda</i>	147
<i>Dryopteris parrisiae</i>	502
<i>Dryopteris patula</i>	297
<i>Dryopteris pedata</i>	409
<i>Dryopteris pentheri</i>	568
<i>Dryopteris polylepis</i>	2, 17, 37, 96, 106, 191, 211, 226, 287, 296, 320, 330, 358, 395, 431, 478, 489, 493, 495, 523
<i>Dryopteris pseudofilix-mas</i>	2, 17, 96, 160, 210, 211, 213, 214, 226, 287, 289, 296, 312, 320, 326, 345, 358, 375, 377, 395, 397, 406, 411, 431, 478, 491, 492, 493, 495, 502, 513, 523
<i>Dryopteris pseudo-mas</i>	see <i>Dryopteris affinis</i>
<i>Dryopteris pteridiiformis</i>	147
<i>Dryopteris pulcherrima</i>	147
<i>Dryopteris pulvinulifera</i>	147
<i>Dryopteris purpurella</i>	25, 106, 191, 226, 436, 493, 502
<i>Dryopteris pycnopteroides</i>	36, 106, 191, 296, 330, 358, 377, 395, 411, 430, 431, 478, 491, 493, 494, 495, 502, 523, 545
<i>Dryopteris quelpaertensis</i>	43
(or <i>D. kamtschatica</i>)	
<i>Dryopteris raddeana</i>	43, 226
<i>Dryopteris ramosa</i>	147, 585
<i>Dryopteris redactopinnata</i>	147
<i>Dryopteris reichsteinii</i>	146

<i>Dryopteris remota</i>	5, 17, 41, 94, 96, 106, 191, 211, 214, 226, 228, 240, 247, 287, 289, 320, 358, 374, 375, 377, 395, 411, 431, 435, 478, 490, 491, 493, 495, 502, 515, 523
<i>Dryopteris rigida</i>	43
<i>Dryopteris ryo-itoana</i>	502
<i>Dryopteris sabaiei</i>	88, 163, 184, 210, 215, 287, 296, 320
<i>Dryopteris sacrosancta</i>	132, 163, 169, 175, 184, 210, 212, 213, 215, 226, 287, 289, 296, 320, 358, 395, 431, 478, 502, 523
<i>Dryopteris saxifraga</i>	94
<i>Dryopteris scottii</i>	95, 96, 147, 160, 211, 266, 287, 296, 320, 356, 431, 478, 489, 523, 545
<i>Dryopteris</i> x <i>separabilis</i>	74, 580, 598
(<i>D. intermedia</i> x <i>D. celsa</i>)	
<i>Dryopteris serrato-dentata</i>	147
<i>Dryopteris shibipedis</i>	502
<i>Dryopteris sichotensis</i>	43, 94, 491
(or <i>D. coreano-montana</i>)	
<i>Dryopteris sieboldii</i>	2, 5, 17, 96, 106, 115, 116, 160, 184, 211, 214, 260, 287, 289, 293, 320, 326, 358, 375, 377, 395, 411, 431, 443, 478, 489, 491, 494, 495, 515, 523, 573
<i>Dryopteris sieboldii</i> 'Incisum'	106, 191
<i>Dryopteris sikkimensis</i>	147
<i>Dryopteris silvaticum</i>	502
<i>Dryopteris simasakii</i>	502
<i>Dryopteris singulare</i>	263
<i>Dryopteris</i> x <i>sjoegrenii</i>	495
<i>Dryopteris sledgei</i>	147
<i>Dryopteris</i> x <i>slossonae</i>	226, 263, 406
<i>Dryopteris sparsa</i>	88, 147, 502
<i>Dryopteris spinulosa</i>	see <i>Dryopteris carthusiana</i>
<i>Dryopteris spinulosa</i>	261, 493
var. <i>americana</i> (or <i>D. dilatata</i>)	
<i>Dryopteris spinulosa</i>	see <i>Dryopteris intermedia</i>
var. <i>intermedia</i>	
<i>Dryopteris splendens</i>	147

<i>Dryopteris sri-lankensis</i>	147
<i>Dryopteris stenolepis</i>	147
<i>Dryopteris stewartii</i>	146, 147, 214, 260, 320, 335, 358, 395, 431, 478, 485, 491, 493, 502, 523, 579, 583, 585
<i>Dryopteris subbipinnata</i>	502
<i>Dryopteris subimpressa</i>	147
<i>Dryopteris sublacera</i>	106, 147, 169, 175, 190, 210, 213, 289, 296, 320, 357, 358, 395, 431, 478, 491, 495, 502, 523, 541
<i>Dryopteris submontana</i>	106, 228
<i>Dryopteris subtriangularis</i>	147, 502
<i>Dryopteris subtripinnata</i>	see <i>Dryopteris chinensis</i>
<i>Dryopteris x tavelii</i>	507
<i>Dryopteris tokyoensis</i>	5, 106, 184, 296, 431, 478, 489, 491, 493, 494, 495, 504, 523
<i>Dryopteris x triploidea</i>	67, 74, 84, 109, 226, 286, 405, 406, 514, 515, 535, 580
<i>Dryopteris tsugiwoi</i>	502
<i>Dryopteris tsutsuiana</i>	502
<i>Dryopteris tyrrhena</i>	146
<i>Dryopteris x uliginosa</i>	74, 226, 406, 515
<i>Dryopteris uniformis</i>	5, 86, 92, 106, 111, 136, 191, 214, 228, 287, 296, 320, 358, 395, 431, 478, 491, 494, 495, 541
<i>Dryopteris uniformis</i> ‘Cristata’	94, 226, 493
<i>Dryopteris varia</i>	5, 106, 115, 147, 296, 430, 491, 495, 502
<i>Dryopteris varia</i> var. <i>setosa</i>	see <i>Dryopteris bissetiana</i>
<i>Dryopteris villarii</i> (or <i>D. mindshelkensis</i>)	92, 146, 330, 395, 431, 478, 493, 494
<i>Dryopteris wallichiana</i>	2, 5, 17, 45, 47, 93, 96, 105, 106, 132, 143, 147, 160, 163, 191, 210, 211, 212, 213, 215, 226, 287, 289, 296, 297, 320, 340, 358, 375, 395, 431, 443, 472, 478, 489, 490, 491, 493, 495, 496, 502, 513, 523, 539
<i>Dryopteris wallichiana</i> ssp. <i>nepalensis</i>	493

<i>Dryopteris wallichiana</i>	478, 493
(ssp. <i>nepalensis</i>) 'Molten Lava'	
<i>Dryopteris woodsii</i>	147
<i>Dryopteris yakusilvicola</i>	502
<i>Dryopteris yigongensis</i>	147, 296, 502, 539
<i>Dryopteris yoroii</i>	147
<i>Elaphoglossum</i>	45, 81, 93, 266, 297, 379, 385, 539, 561
<i>Elaphoglossum apodum</i>	250
<i>Elaphoglossum crassifolium</i>	45
<i>Elaphoglossum crinitum</i>	93, 297, 539
<i>Elaphoglossum flaccidum</i> aff.	93
<i>Elaphoglossum mathewsii</i>	385
<i>Elaphoglossum ovatum</i>	385
<i>Elaphoglossum papillosum</i>	385
<i>Elaphoglossum peltatum</i>	93, 297
<i>Elaphoglossum piloselloides</i>	297
<i>Elaphoglossum pygmaeum</i>	379
<i>Elaphoglossum reticulatum</i>	93
<i>Elaphoglossum</i> <i>semicylindricum</i>	465
<i>Elaphoglossum spatulatum</i>	568
<i>Elaphoglossum squamipes</i>	297, 385
<i>Elaphoglossum yaoshinagae</i>	88
<i>Enterosora percrassa</i>	297
<i>Enterosora trifurcata</i>	297
<i>Equisetum</i>	81, 246, 307, 369, 373, 385, 394, 404, 437, 457, 467, 515, 519, 545, 559, 573, 579
<i>Equisetum arvense</i>	51, 67, 74, 75, 85, 139, 166, 226, 279, 373, 405, 407, 437, 440, 471, 495, 508, 534, 545, 567, 573, 579, 591
<i>Equisetum bogotense</i>	93, 297, 373, 437
<i>Equisetum diffusum</i>	437
<i>Equisetum x ferrissii</i>	84, 139, 405, 437, 471, 495, 499, 567
<i>Equisetum fluviatile</i>	67, 138, 437, 440, 567
<i>Equisetum giganteum</i>	93, 266, 373, 437, 573
<i>Equisetum hyemale</i>	2, 17, 67, 74, 84, 116, 166, 226, 259, 292, 302, 331, 373, 405, 407, 440, 484, 495, 499, 567, 573

<i>Equisetum hyemale</i> ssp. <i>affine</i>	471, 581, 598
<i>Equisetum hyemale</i>	93, 166, 437
var. <i>robustum</i>	
<i>Equisetum laevigatum</i>	84, 405, 437, 471, 495, 499, 506, 567
<i>Equisetum</i> x <i>litorale</i>	440
<i>Equisetum</i> x <i>mackaii</i>	598
<i>Equisetum myriochaetum</i>	93, 437
<i>Equisetum palustre</i>	437, 440
<i>Equisetum pratense</i>	437, 440, 515
<i>Equisetum ramosissimum</i>	437
<i>Equisetum scirpoides</i>	81, 84, 116, 166, 226, 296, 336, 437, 440, 495
<i>Equisetum sylvaticum</i>	85, 405, 437, 440, 545
<i>Equisetum telmateia</i>	331, 373, 437, 499, 591
<i>Equisetum telmateia</i>	93, 106, 257, 440
var. <i>braunii</i>	
<i>Equisetum variegatum</i>	67, 166, 336, 437, 573, 598
<i>Equisetum variegatum</i>	440
ssp. <i>alaskanum</i>	
<i>Equisetum variegatum</i>	440
ssp. <i>variegatum</i>	
<i>Eriosorus</i>	297
<i>Eriosorus congestus</i>	297
<i>Gleichenella</i>	385
<i>Gleichenella pectinata</i>	297
<i>Gleichenia</i>	52, 250, 568
<i>Gleichenia japonica</i>	88
<i>Gleichenia microphylla</i>	250, 259, 556
<i>Gleichenia rupestris</i>	57
<i>Gleichenia squamulosa</i>	353
<i>Gonocormus</i>	45
<i>Gonocormus minutus</i>	45
<i>Grammitis</i>	45, 171, 200, 250, 267
<i>Grammitis billardieri</i>	200, 562
<i>Grammitis marginella</i>	297
<i>Grammitis poeppigiana</i>	200
<i>Grammitis pseudociliata</i>	556
<i>Grammitis tenella</i>	93
<i>Gymnocarpium</i>	81, 178, 405, 437, 579
<i>Gymnocarpium disjunctum</i>	178, 331, 381, 440, 452, 591

<i>Gymnocarpium dryopteris</i>	2, 5, 17, 37, 47, 67, 75, 85, 96, 106, 133, 152, 160, 166, 181, 191, 211, 226, 240, 257, 273, 287, 296, 307, 320, 331, 336, 358, 369, 375, 377, 395, 404, 405, 406, 411, 431, 440, 443, 452, 478, 489, 490, 491, 493, 494, 495, 500, 523, 545
<i>Gymnocarpium dryopteris</i> ‘Plumosum’	2, 17, 36, 94, 96, 105, 115, 160, 166, 191, 211, 226, 257, 287, 296, 320, 358, 395, 431, 478, 489, 490, 493, 523
<i>Gymnocarpium</i> <i>fedtschenkoanum</i>	43, 237, 545
<i>Gymnocarpium jessoense</i>	545
<i>Gymnocarpium oyamense</i>	276, 287, 296, 320, 358, 395, 431, 443, 478, 523, 539
<i>Gymnocarpium</i> <i>remoti-pinnatum</i>	43
<i>Gymnocarpium robertianum</i>	5, 25, 36, 37, 84, 106, 257, 273, 491, 495, 499
<i>Gymnopteris vestita</i>	250, 336
<i>Hemionanthes</i>	513
<i>Hemionitis</i>	172, 297
<i>Hemionitis arifolia</i>	250, 573
<i>Hemionitis palmata</i>	93, 297
<i>Histiopteris incisa</i>	88, 250, 297, 458, 556, 562
<i>Homalosorus</i>	559
<i>Humata</i>	568
<i>Humata heterophylla</i>	93
<i>Humata tyermannii</i>	250
<i>Huperzia</i>	378, 385, 457, 519, 559
<i>Huperzia appalachiana</i> (or <i>H. appressa</i>)	75, 111, 519
<i>Huperzia appalachiana</i> x <i>lucidula</i>	75, 111
<i>Huperzia australiana</i> (or <i>Lycopodium australianum</i>)	200
<i>Huperzia</i> x <i>bartleyi</i> (or <i>H. lucidula</i> x <i>porophila</i>)	241, 405

<i>Huperzia x buttersii</i>	519, 598
(or <i>H. lucidula x selago</i>)	
<i>Huperzia chinensis</i>	440, 452
(or <i>H. miyoshiana</i> , or <i>Lycopodium selago</i> var. <i>miyoshianum</i> , or <i>L. selago</i> ssp. <i>chinense</i>)	
<i>Huperzia crassa</i>	297, 385
<i>Huperzia crassa</i>	385
var. <i>manus-diaboli</i>	
<i>Huperzia dichaeoides</i>	297
<i>Huperzia haleakalae</i>	440
(or <i>Lycopodium selago</i> vars. <i>haleakalae</i> , <i>selago</i> , or <i>appressum</i>)	
<i>Huperzia hippuridea</i>	297
<i>Huperzia x josephbeitelii</i>	519
(<i>H. appressa x selago</i>)	
<i>Huperzia linifolia</i>	379
<i>Huperzia lucidula</i>	67, 74, 75, 85, 109, 111, 166, 226,
(or <i>Lycopodium</i> <i>lucidulum</i>)	241, 405, 406, 507, 508, 519, 598
<i>Huperzia occidentalis</i>	440
(or <i>Lycopodium lucidulum</i> var. <i>occidentale</i> , or <i>L.</i> <i>selago</i> ssp. <i>patens</i>)	
<i>Huperzia porophila</i>	241, 405
<i>Huperzia x protophorophila</i>	519
(<i>H. appressa x lucidula</i>)	
<i>Huperzia reflexa</i>	297
<i>Huperzia selago</i>	111, 152, 257, 336, 519, 545, 598
<i>Huperzia serrata x sulcinervia</i>	45
<i>Huperzia tenuis</i>	297
<i>Huperzia tetragona</i>	385
<i>Huperzia varia</i>	556, 562
<i>Hymenophyllum</i>	93, 102, 171, 200, 246, 250, 273, 385,
	457
<i>Hymenophyllum asplenioides</i>	297
<i>Hymenophyllum badium</i>	88
<i>Hymenophyllum demissum</i>	57, 93, 556

<i>Hymenophyllum dilatatum</i>	556
<i>Hymenophyllum ferrugineum</i>	562
<i>Hymenophyllum flexuosum</i>	562
<i>Hymenophyllum fragile</i>	297
<i>Hymenophyllum fucoids</i>	379
<i>Hymenophyllum hirsutum</i>	297
<i>Hymenophyllum multifidum</i>	192
<i>Hymenophyllum oligosorum</i>	88
<i>Hymenophyllum plumieri</i>	379
<i>Hymenophyllum polyanthos</i>	88
<i>Hymenophyllum pulcherrimum</i>	562
<i>Hymenophyllum rarum</i>	556
<i>Hymenophyllum revolutum</i>	556
<i>Hymenophyllum riukiense</i>	88
<i>Hymenophyllum</i>	556
<i>sanguinolentum</i>	
<i>Hymenophyllum tegularis</i>	297
<i>Hymenophyllum tunbridgense</i>	465, 545
<i>Hymenophyllum wilsonii</i>	133, 465
<i>Hymenophyllum wrightii</i>	88, 440
(or <i>Mecodium wrightii</i>)	
<i>Hypodematium crenatum</i>	94, 184
<i>Hypolepis</i>	34, 45, 200, 379, 385
<i>Hypolepis bogotensis</i>	297
<i>Hypolepis dicksonioides</i>	250
<i>Hypolepis distans</i>	556
<i>Hypolepis glandulifera</i>	93
<i>Hypolepis millefolium</i>	106, 200, 539, 545
<i>Hypolepis nigrescens</i>	297
<i>Hypolepis poeppigii</i>	353
<i>Hypolepis punctata</i>	5, 9, 45, 184, 287, 320, 358, 395, 431, 478, 523
<i>Hypolepis rufobarbata</i>	94
<i>Hypolepis rugosula</i>	2, 17
<i>Isoetes</i>	111, 385, 437, 438, 457, 467, 507, 514
<i>Isoetes andina</i>	385
<i>Isoetes x brittonii</i>	437
<i>Isoetes butleri</i>	292, 567
<i>Isoetes caroliniana</i>	130

<i>Isoetes echinospora</i>	111, 405, 406, 440
<i>Isoetes engelmannii</i>	74, 81, 111
<i>Isoetes x eatonii</i>	111
<i>Isoetes lacustris</i>	91, 514
<i>Isoetes lithophylla</i>	274, 506
<i>Isoetes louisianensis</i>	438
<i>Isoetes maritime</i>	440
<i>Isoetes occidentalis</i>	440, 534
<i>Isoetes riparia</i>	111
<i>Isoetes storkii</i>	297
<i>Isoetes x truncata</i>	440
<i>Isoetes virginica</i>	75
<i>Jamesonia</i>	297, 385
<i>Jamesonia alstonii</i>	297, 385
<i>Jamesonia goudotii</i>	385
<i>Jamesonia imbricata</i>	385
<i>Jamesonia rotundifolia</i>	385
<i>Jamesonia scammanae</i>	297
<i>Lastrea decursive-pinnata</i>	see <i>Phegopteris decursive-pinnata</i>
<i>Lastrea filix-mas</i>	see <i>Dryopteris filix-mas</i>
<i>Lastreopsis</i>	385, 556
<i>Lastreopsis decomposita</i>	93
<i>Lastreopsis effusa</i>	297
<i>Lastreopsis exculta</i>	297
<i>Lastreopsis glabella</i>	556, 562
<i>Lastreopsis hispida</i>	556, 562
<i>Lastreopsis velutina</i>	562
<i>Lecanopteris</i>	15, 267, 467
<i>Lellingeria</i>	297, 385
<i>Lellingeria subsessilis</i>	297
<i>Lellingeria suspense</i>	379
<i>Lemmaphyllum</i>	267
<i>Lemmaphyllum microphyllum</i>	88, 93, 296
<i>Lepidodendron</i>	519
<i>Lepisorus</i>	267
<i>Lepisorus amaurolepidus</i>	336
(or <i>Pleopeltis amaurolepida</i>)	
<i>Lepisorus annuifrons</i>	336
<i>Lepisorus clathratus</i>	43
(or <i>Polypodium clathratum</i>)	

<i>Lepisorus nudus</i>	336
<i>Lepisorus onoei</i>	88
<i>Lepisorus thunbergianus</i>	45, 88, 94
<i>Leptochilus decurrens</i>	93
<i>Leptolepia</i>	556
<i>Leptolepia novae-zelandiae</i>	556
<i>Leptopteris</i>	462, 562
<i>Leptopteris hymenophylloides</i>	57, 94, 200, 562
<i>Leptopteris superba</i>	57, 259, 562
<i>Leptorumohra miqueliana</i>	94, 336
<i>Leptospermum scoparium</i>	171
<i>Lindsaea cambodgensis</i>	88
<i>Lindsaea chienii</i>	88
<i>Lindsaea ensifolia</i> x <i>odontosoria chinensis</i>	263
<i>Lindsaea odorata</i>	88
<i>Lindsaea trichomanoides</i>	556
<i>Lindsaeosoria</i>	263
<i>Lomariopsis</i>	297
<i>Lonchitis hirsuta</i>	297
<i>Lophosoria</i>	385, 462
<i>Lophosoria quadripinnata</i>	93, 197, 297, 353, 373, 385, 513
<i>Lorinseria areolata</i>	105, 226
<i>Loxogramme mexicana</i>	297
<i>Loxoma</i>	192, 556, 562
<i>Loxoma cunninghamii</i>	562
<i>Lunathyrium japonicum</i>	191
<i>Lunathyrium thelypteroides</i>	5, 96
<i>Lycopodiella</i>	378, 385, 388, 519
<i>Lycopodiella alopecuroides</i>	74, 111, 279, 406, 438, 508, 519
<i>Lycopodiella alopecuroides</i> x <i>prostrata</i>	438
<i>Lycopodiella appressa</i>	74, 111, 279, 292, 508, 519, 573
<i>Lycopodiella appressa</i> x <i>inundata</i>	519
<i>Lycopodiella caroliniana</i>	279
<i>Lycopodiella cernua</i>	561, 562, 568
<i>Lycopodiella</i> x <i>copelandii</i>	111, 279, 519
<i>Lycopodiella inundata</i> (or <i>Lycopodium inundatum</i>)	378, 440, 514, 519, 567

<i>Lycopodiella pendulina</i>	297
<i>Lycopodiella prostrata</i>	438
<i>Lycopodiella</i> x <i>robusta</i>	519
<i>Lycopodium</i>	111, 128, 246, 257, 307, 378, 385, 437, 457, 467, 513, 515, 519, 524, 559, 598
<i>Lycopodium alopecuroides</i>	see <i>Lycopodiella alopecuroides</i>
<i>Lycopodium annotinum</i>	406, 440, 519, 545, 591
<i>Lycopodium annotinum</i> var. <i>alpestre</i>	519
<i>Lycopodium appressum</i>	see <i>Lycopodiella appressa</i>
<i>Lycopodium canadense</i>	519, 598
<i>Lycopodium carolinianum</i>	74
<i>Lycopodium casuarinoides</i>	88
<i>Lycopodium cernuum</i>	88
<i>Lycopodium clavatum</i>	67, 75, 94, 152, 166, 297, 307, 331, 378, 381, 385, 404, 406, 440, 519, 567, 591
<i>Lycopodium clavatum</i> var. <i>nipponicum</i>	88
<i>Lycopodium complanatum</i>	see <i>Diphasiastrum complanatum</i>
<i>Lycopodium contiguum</i>	297
<i>Lycopodium</i> x <i>copelandii</i>	388
<i>Lycopodium dendroideum</i> (or <i>L. obscurum</i> var. <i>dendroideum</i>)	74, 106, 378, 440, 519
<i>Lycopodium deuterodensum</i>	556
<i>Lycopodium digitatum</i>	see <i>Diphasiastrum digitatum</i>
<i>Lycopodium fastigiatum</i>	192, 200
<i>Lycopodium hamiltonii</i>	88
<i>Lycopodium hickeyi</i>	378, 519
<i>Lycopodium inundatum</i>	166, 406
<i>Lycopodium lagopus</i>	378, 440, 519
<i>Lycopodium lucidulum</i>	see <i>Huperzia lucidula</i>
<i>Lycopodium magellanicum</i>	385
<i>Lycopodium miyoshianum</i>	307
<i>Lycopodium obscurum</i>	74, 75, 166, 226, 378, 406, 508, 519, 567
<i>Lycopodium obscurum</i> f. <i>dendroideum</i>	226
<i>Lycopodium paniculatum</i>	353

<i>Lycopodium phlegmaria</i>	88
<i>Lycopodium sarmentosum</i>	200
<i>Lycopodium scariosum</i>	171, 200
<i>Lycopodium selago</i> ssp. <i>patens</i>	307
<i>Lycopodium serratum</i>	88
<i>Lycopodium sitchense</i>	307
<i>Lycopodium thyoides</i>	297
<i>Lycopodium tristachyum</i>	see <i>Diphasiastrum tristachyum</i>
<i>Lycopodium varium</i>	200
<i>Lycopodium venustulum</i>	45
<i>Lycopodium volubile</i>	556, 562
<i>Lygodium</i>	81, 520, 572, 579
<i>Lygodium articulatum</i>	556
<i>Lygodium circinnatum</i>	93
<i>Lygodium flexuosum</i>	93
<i>Lygodium japonicum</i>	2, 5, 17, 65, 88, 93, 105, 106, 116, 180, 191, 198, 210, 213, 226, 250, 296, 329, 438, 443, 491, 494, 508, 581
<i>Lygodium lanceolatum</i>	93
<i>Lygodium microphyllum</i>	520, 572
<i>Lygodium palmatum</i>	14, 67, 74, 81, 94, 115, 130, 166, 237, 240, 241, 255, 273, 289, 320, 369, 406, 493, 494, 508, 511, 515, 539, 570, 572, 598
<i>Lygodium venustum</i>	297
<i>Macroglossum smithii</i>	93
<i>Macrothelypteris</i>	385
<i>Macrothelypteris torresiana</i>	250, 297, 302, 438, 556
<i>Marattia</i>	9, 197, 467
<i>Marattia douglasii</i>	45
<i>Marattia fraxinea</i>	93, 561
<i>Marattia laevis</i>	297
<i>Marattia lygodiifolia</i>	81
<i>Marattia salicina</i>	556
<i>Marsilea</i>	93, 111, 189, 246, 457, 507, 520, 538, 573, 579
<i>Marsilea drummondii</i>	93
<i>Marsilea macropoda</i>	573
<i>Marsilea mollis</i> (or <i>M. vestita</i>)	139

<i>Marsilea quadrifolia</i>	401, 493, 508, 515
<i>Marsilea vestita</i>	see <i>Marsilea mollis</i>
<i>Matteuccia</i> (or <i>Struthiopteris</i>)	40, 81, 119, 334, 545, 559, 578
<i>Matteuccia intermedia</i>	93, 119
<i>Matteuccia orientalis</i>	93, 106, 119, 539, 579
<i>Matteuccia pennsylvanica</i>	see <i>Matteuccia struthiopteris</i> var. <i>pennsylvanica</i>
<i>Matteuccia struthiopteris</i>	5, 9, 47, 51, 65, 67, 71, 84, 85, 93, 96, 101, 105, 106, 117, 118, 119, 160, 166, 178, 181, 191, 210, 211, 228, 240, 257, 273, 287, 296, 312, 320, 326, 342, 358, 375, 377, 394, 395, 405, 406, 411, 431, 450, 473, 478, 489, 490, 491, 494, 495, 500, 508, 511, 515, 520, 523, 579, 580
<i>Matteuccia struthiopteris</i> (Asian)	2, 17
<i>Matteuccia struthiopteris</i> (North American)	2, 17
<i>Matteuccia struthiopteris</i> var. <i>pennsylvanica</i>	106, 119, 226, 273, 369, 494, 508
<i>Megalastrum</i>	385
<i>Megalastrum pulverulentum</i>	385
<i>Melpomene</i>	385
<i>Melpomene moniliformis</i>	297, 385
<i>Melpomene sodiroi</i>	385
<i>Melpomene xiphopteroides</i>	297
<i>Merinthosorus drynarioides</i>	93
<i>Microgramma</i>	267, 379, 385
<i>Microgramma palmeri</i>	93
<i>Microgramma tecta</i>	93
<i>Microlepia</i>	81
<i>Microlepia marginata</i>	88
<i>Microlepia pilosella</i>	43
<i>Microlepia platyphylla</i>	93, 265
<i>Microlepia sinostrigosa</i>	545
<i>Microlepia speluncae</i>	93
<i>Microlepia strigosa</i>	81, 88, 493, 494
<i>Microlepia wilfordii</i> (or <i>Davallia wilfordii</i>)	43, 336

<i>Micropolypodium</i>	297, 385
<i>Micropolypodium daguense</i>	379
<i>Microsorium</i>	81
<i>Microsorium buergerianum</i>	88
<i>Microsorium dilatatum</i>	88
<i>Microsorium diversifolium</i>	57, 250, 573
<i>Microsorium musifolium</i>	93
<i>Microsorium pustulatum</i>	556
(or <i>Phymatosorus pustulatum</i>)	
<i>Microsorium scandens</i>	57, 556
<i>Microsorium scolopendrium</i>	45, 93, 250
<i>Microsorium spectrum</i>	413
<i>Microsorium strigosa</i>	573
<i>Mildella</i>	93, 172, 367
<i>Mildella fallax</i>	502
<i>Mildella intramarginalis</i>	93, 265
<i>Mildella intramarginalis</i>	502
var. <i>serratifolia</i>	
<i>Mohria caffrorum</i>	250
<i>Neocheiropteris ensata</i>	93
<i>Nephrodium acrostichoides</i>	see <i>Polystichum acrostichoides</i>
<i>Nephrodium filix-mas</i>	see <i>Dryopteris filix-mas</i>
<i>Nephrodium montana</i>	133
(<i>Dryopteris</i> ?)	
<i>Nephrodium spinulosum</i>	see <i>Dryopteris carthusiana</i> var. <i>alpina</i>
var. <i>alpinum</i>	
<i>Nephrolepis</i>	52, 81, 102, 250, 385, 459, 539, 581, 586
<i>Nephrolepis abrupta</i>	568
<i>Nephrolepis biserrata</i>	561, 581
<i>Nephrolepis cordifolia</i>	88, 250, 297, 556, 581
<i>Nephrolepis exaltata</i>	45, 93, 573
<i>Nephrolepis exaltata</i>	105
‘ <i>Bostoniensis</i> ’	
<i>Nephrolepis multiflora</i>	45
<i>Nephrolepis obliterated</i>	106
‘ <i>Kimberly Queen</i> ’	
<i>Nephrolepis sinuata</i>	106
var. <i>sinuata</i>	
<i>Niphidium</i>	379, 385

<i>Niphidium albopunctatissimum</i>	379
<i>Niphidium crassifolium</i>	93
<i>Notholaena</i>	102, 111, 144, 168, 172, 248, 265, 318, 367, 418, 420, 457, 488, 501, 581
<i>Notholaena aliena</i>	277, 502, 581
<i>Notholaena aschenborniana</i>	364, 502, 581
<i>Notholaena buchtienii</i>	93, 248
<i>Notholaena californica</i>	139, 172, 488, 502
<i>Notholaena candida</i>	265
<i>Notholaena copelandii</i>	265
<i>Notholaena galeottii</i>	502
<i>Notholaena grayi</i>	111, 502
<i>Notholaena marantae</i>	94, 115, 250, 336, 539
<i>Notholaena neglecta</i>	502
<i>Notholaena standleyi</i>	277, 362, 364, 581
<i>Notholaena standleyi</i> <i>ssp. mazatzalensis</i>	139
<i>Odontosoria chinensis</i>	45, 263
<i>Odontosoria</i> <i>gymnogrammoides</i>	297
<i>Oleandra</i>	93, 250
<i>Oleandra articulata</i>	297
<i>Olfersia</i>	297, 385
<i>Olfersia cervina</i>	297
<i>Onoclea</i>	259, 514, 559, 578, 579
 <i>Onoclea sensibilis</i>	 2, 5, 34, 37, 47, 51, 65, 67, 74, 75, 81, 85, 93, 105, 106, 166, 178, 180, 181, 191, 198, 226, 228, 240, 257, 273, 279, 287, 292, 296, 302, 312, 320, 326, 358, 369, 375, 377, 392, 395, 405, 406, 407, 411, 412, 431, 438, 473, 478, 485, 489, 491, 493, 494, 495, 500, 508, 511, 515, 523, 567, 578, 579, 580
<i>Onoclea sensibilis</i> ‘Nana’	578
<i>Onoclea sensibilis</i> <i>var. interrupta</i>	43, 578

<i>Onychium contiguum</i>	336
<i>Onychium japonicum</i>	5, 237, 485, 545
<i>Onychium tenuifrons</i>	545
<i>Ophioderma pendula</i>	45
<i>Ophioglossum</i>	7, 373, 467, 581
<i>Ophioglossum coriaceum</i>	200, 502
<i>Ophioglossum engelmannii</i>	292
<i>Ophioglossum gramineum</i>	336
<i>Ophioglossum lusitanicum</i>	206
<i>Ophioglossum palmatum</i>	297
<i>Ophioglossum pendulum</i>	561
<i>Ophioglossum petiolatum</i>	438
<i>Ophioglossum pusillum</i>	67, 84, 508, 567
<i>Ophioglossum pycnostichum</i>	74, 81
<i>Ophioglossum vulgatum</i>	25, 51, 81, 85, 166, 241, 257, 273, 302, 406, 545
<i>Oreopteris</i>	257, 367
<i>Oreopteris limbosperma</i> or <i>Thelypteris limbosperma</i>	see <i>Thelypteris quelpaertensis</i>
<i>Oreopteris quelpaertensis</i> (?)	94
<i>Osmunda</i>	7, 9, 15, 25, 81, 144, 149, 178, 220, 246, 248, 249, 259, 265, 340, 375, 405, 457, 460, 462, 481, 490, 491, 492, 501, 539, 559, 562
<i>Osmunda cinnamomea</i>	2, 5, 43, 47, 65, 67, 71, 74, 75, 85, 96, 101, 105, 115, 116, 119, 138, 160, 166, 180, 181, 191, 211, 225, 226, 228, 240, 273, 279, 286, 287, 292, 312, 320, 326, 358, 365, 369, 375, 377, 392, 395, 405, 406, 411, 431, 438, 467, 473, 478, 485, 488, 489, 490, 491, 492, 493, 494, 495, 501, 508, 515, 523, 567, 573, 579, 580
<i>Osmunda cinnamomea</i> var. <i>fokiensis</i> (or <i>Osmundastrum c.</i> var. <i>fokiensis</i>) (or <i>Osmunda asiatica</i>)	71

<i>Osmunda claytoniana</i>	2, 5, 17, 43, 47, 65, 67, 71, 74, 75, 85, 96, 105, 106, 111, 115, 160, 166, 181, 191, 211, 225, 226, 232, 273, 286, 287, 312, 320, 326, 358, 365, 369, 384, 392, 395, 405, 406, 431, 432, 473, 478, 490, 491, 493, 495, 523, 539, 567, 579, 580
<i>Osmunda gracilis</i>	23, 539
<i>Osmunda japonica</i>	43, 88, 105, 115, 191, 225, 226, 296, 336, 443, 493, 494, 495, 539
<i>Osmunda javanica</i>	501
<i>Osmunda lancea</i>	225, 539
<i>Osmunda regalis</i>	5, 17, 37, 67, 71, 75, 88, 93, 96, 105, 106, 111, 115, 138, 144, 160, 163, 166, 180, 181, 191, 211, 225, 240, 273, 279, 287, 292, 296, 297, 302, 312, 320, 326, 358, 369, 375, 377, 392, 395, 406, 407, 411, 422, 431, 432, 438, 443, 462, 478, 485, 489, 490, 491, 492, 493, 493, 494, 495, 514, 515, 523, 539, 567, 568, 573
<i>Osmunda regalis</i>	191
var. <i>brasiliensis</i>	
<i>Osmunda regalis</i> ‘Compacta’	495
<i>Osmunda regalis</i> ‘Crispa’	191, 226
<i>Osmunda regalis</i> ‘Cristata’	106, 191, 226
<i>Osmunda regalis</i>	511, 539, 545
‘Decomposita’	
<i>Osmunda regalis</i> ‘Depauperata’	144
<i>Osmunda regalis</i> ‘Gracilis’	25, 115, 495
<i>Osmunda regalis</i> ‘Gracillima’	511
<i>Osmunda regalis</i>	25, 47, 106, 161, 162, 163, 164, 191,
‘Purpurascens’	215, 226, 240, 320, 395, 478, 489, 493, 495, 523, 539
<i>Osmunda regalis</i> var. <i>regalis</i>	2, 106, 181, 191, 493, 499
<i>Osmunda regalis</i> var. <i>regalis</i>	9, 25, 36, 191, 493
‘Cristata’	
<i>Osmunda regalis</i>	2, 47, 65, 74, 93, 115, 225, 226, 365,
var. <i>spectabilis</i>	392, 473, 493, 508, 515, 523, 539,
(or <i>O. spectabilis</i>)	579, 580

<i>Osmunda regalis</i>	25, 115, 162, 163, 164, 181, 320, 495,
'Undulatifolia'	500
<i>Osmunda x ruggii</i>	111, 225, 263, 365, 432
<i>Osmunda spectabilis</i>	see <i>O. regalis</i> var. <i>spectabilis</i>
<i>Paesia scaberula</i>	250, 556
<i>Palhinhaea cernua</i>	45
<i>Paraceterach reynoldsii</i>	237, 250
<i>Parathelypteris beddomei</i>	545, 579
(or <i>Thelypteris beddomei</i>)	
<i>Parathelypteris japonica</i>	493
<i>Pecluma</i>	267, 379, 385
<i>Pecluma alfredii</i>	93
<i>Pecluma consimilis</i>	297
<i>Pellaea</i>	9, 81, 102, 111, 144, 172, 247, 248, 265, 274, 318, 385, 404, 418, 420, 427, 437, 457, 501, 508, 511, 565, 573, 581
<i>Pellaea andromedifolia</i>	93, 94, 106, 250, 318, 427, 488, 502
<i>Pellaea atropurpurea</i>	2, 5, 17, 37, 47, 65, 67, 74, 84, 93, 105, 106, 111, 139, 166, 191, 240, 265, 277, 292, 302, 303, 336, 362, 364, 405, 406, 420, 467, 491, 493, 494, 495, 502, 507, 515, 527, 539, 565, 573, 581
<i>Pellaea atropurpurea</i>	420
x <i>wrightiana</i>	
<i>Pellaea boivini</i>	502
<i>Pellaea brachyptera</i>	93, 318, 534
<i>Pellaea brachyptera</i>	318
x <i>bridgesii</i>	
<i>Pellaea brachyptera</i>	318
x <i>mucronata</i>	
<i>Pellaea breweri</i>	5, 37, 303, 318, 471, 491
<i>Pellaea bridgesii</i>	318
<i>Pellaea calomelanos</i>	502
<i>Pellaea cordifolia</i>	581
<i>Pellaea dura</i>	502
<i>Pellaea falcata</i>	485, 562
<i>Pellaea x gastonyi</i>	420, 502

<i>Pellaea glabella</i>	94, 111, 224, 250, 273, 303, 405, 406, 420, 443, 495, 502, 507, 508, 515, 567, 598
<i>Pellaea glabella</i> ssp. <i>glabella</i>	420
<i>Pellaea glabella</i> ssp. <i>missouriensis</i>	420
<i>Pellaea glabella</i> ssp. <i>occidentalis</i>	420, 471
<i>Pellaea glabella</i> ssp. <i>simplex</i>	471
<i>Pellaea intermedia</i>	277, 362, 364, 502, 581
<i>Pellaea longimucronata</i>	37, 102
<i>Pellaea</i> x <i>lyngholmii</i>	420, 502
<i>Pellaea mucronata</i>	93, 318, 427, 488, 534
<i>Pellaea mucronata</i> var. <i>californica</i>	318
<i>Pellaea mucronata</i> var. <i>mucronata</i>	318, 534
<i>Pellaea mutabilis</i>	265
<i>Pellaea nitidula</i>	106
<i>Pellaea occidentalis</i>	37, 303
<i>Pellaea ovata</i>	2, 191, 274, 502, 506, 573, 581
<i>Pellaea pectiniformis</i>	502
<i>Pellaea quadripinnata</i>	250
<i>Pellaea rotundifolia</i>	5, 106, 191, 236, 250, 562
<i>Pellaea sagittata</i>	94
<i>Pellaea suksdorfiana</i>	37, 303
<i>Pellaea ternifolia</i>	172, 274, 303, 385, 573
<i>Pellaea truncata</i>	37, 139, 265, 362, 364, 420
<i>Pellaea viridis</i>	93, 105, 123
<i>Pellaea viridis</i> var. <i>macrophylla</i>	123
<i>Pellaea</i> x <i>wagneri</i>	139
<i>Pellaea</i> x <i>wrightiana</i>	74, 81, 139, 274, 364, 420, 506, 573, 581
<i>Pentagramma</i>	172, 318
<i>Pentagramma pallida</i>	172
<i>Pentagramma triangularis</i>	93, 172, 273, 427, 534, 591

<i>Pentagramma triangularis</i>	139, 172
ssp. <i>maxonii</i>	
<i>Pentagramma triangularis</i>	93, 172
var. <i>semipallida</i>	
<i>Pentagramma triangularis</i>	172, 318
ssp. <i>triangularis</i>	
<i>Pentagramma triangularis</i>	93, 172
var. <i>viscose</i>	
<i>Phanerophlebia macrosora</i>	513
<i>Phanerophlebia pumila</i>	513
<i>Phegopteris</i>	490, 559, 574, 579
<i>Phegopteris connectilis</i> (or	2, 17, 65, 67, 85, 96, 106, 152, 160,
<i>Thelypteris phegopteris</i>)	163, 166, 178, 191, 210, 211, 224,
	226, 240, 241, 257, 273, 287, 307,
	308, 320, 336, 358, 369, 375, 377,
	395, 405, 406, 411, 431, 440, 473,
	478, 493, 494, 495, 502, 507, 515,
	545, 570, 574, 579, 591
<i>Phegopteris connectilis</i>	574
x <i>hexagonoptera</i>	
<i>Phegopteris decursive-pinnata</i>	2, 12, 17, 36, 88, 96, 105, 115, 132,
(or <i>Thelypteris</i>	161, 162, 163, 164, 181, 182, 184,
<i>decursive-pinnata</i>)	191, 211, 214, 215, 216, 226, 240,
(or <i>Lastrea</i>	287, 296, 308, 320, 358, 375, 377,
<i>decursive-pinnata</i>)	395, 397, 411, 431, 478, 490, 491,
	493, 494, 495, 523, 574, 579
<i>Phegopteris hexagonoptera</i>	2, 12, 17, 47, 65, 67, 74, 75, 93, 105,
(or <i>Thelypteris</i>	106, 166, 181, 182, 224, 226, 232,
<i>hexagonoptera</i>)	241, 250, 257, 273, 286, 292, 302,
	308, 369, 405, 406, 438, 491, 493,
	494, 495, 508, 573, 574, 579, 580
<i>Phlebodium</i>	205, 373
<i>Phlebodium aureum</i>	93
var. <i>aerolatum</i>	
<i>Phlegmariurus phyllanthus</i>	45
<i>Phyllitis</i>	15, 25, 81, 104, 111, 115, 144, 276
<i>Phyllitis hybrida</i>	94
<i>Phyllitis japonica</i>	43, 587
<i>Phyllitis lindenii</i>	587

<i>Phyllitis sagitata</i>	587
<i>Phyllitis scolopendrium</i> (or <i>Asplenium scolopendrium</i>)	2, 9, 12, 17, 23, 25, 36, 37, 47, 67, 81, 93, 94, 105, 106, 115, 116, 138, 159, 160, 161, 162, 169, 178, 181, 191, 199, 211, 212, 215, 216, 226, 228, 254, 257, 263, 273, 287, 289, 296, 320, 326, 329, 345, 358, 375, 377, 382, 395, 411, 431, 432, 443, 466, 478, 491, 492, 493, 494, 495, 499, 500, 501, 523, 530, 531, 545, 579, 583, 587
<i>Phyllitis scolopendrium</i> var. <i>americanum</i>	14, 111, 199, 273, 508, 513, 587
<i>Phyllitis scolopendrium</i> (European Form)	2, 106
<i>Phyllitis scolopendrium</i> ' <i>Angustifolia</i> '	106, 493
<i>Phyllitis scolopendrium</i> x <i>Asplenium trichomanes</i> ssp. <i>hastatum</i>	545
<i>Phyllitis scolopendrium</i> ' <i>Crispa Golden Moly</i> '	104
<i>Phyllitis scolopendrium</i> ' <i>Crispum</i> '	133, 495, 500, 511
<i>Phyllitis scolopendrium</i> ' <i>Crispum Bolton's Nobile</i> '	257
<i>Phyllitis scolopendrium</i> ' <i>Cristata</i> ' or ' <i>Cristatum</i> '	94, 191, 493, 523
<i>Phyllitis scolopendrium</i> ' <i>Cristatum Pinnulum</i> '	104
<i>Phyllitis scolopendrium</i> ' <i>Furcatum</i> '	191, 493
<i>Phyllitis scolopendrium</i> ' <i>Kaye's Lacerate</i> '	23, 95, 101, 106, 132, 191, 228, 254, 289, 493, 495
<i>Phyllitis scolopendrium</i> ' <i>Keratoides</i> '	191
<i>Phyllitis scolopendrium</i> ' <i>Linearis</i> '	495
<i>Phyllitis scolopendrium</i> ' <i>Marginata</i> ' or ' <i>Marginatum</i> '	106, 191, 493

<i>Phyllitis scolopendrium</i>	104
‘Plumoso-multilobum’	
<i>Phyllitis scolopendrium</i>	104
‘Plumosum Green’	
<i>Phyllitis scolopendrium</i>	94
‘Ramo Cristatum’	
<i>Phyllitis scolopendrium</i>	495
‘Ramo-marginatum’	
<i>Phyllitis scolopendrium</i>	104
‘Ramulosum’	
<i>Phyllitis scolopendrium</i>	495, 500
‘Sagittatum-cristatum’	
<i>Phyllitis scolopendrium</i>	106, 199, 587
var. <i>scolopendrium</i>	
<i>Phyllitis scolopendrium</i>	115
‘Supra-marginatum’	
<i>Phyllitis scolopendrium</i>	106, 133, 191, 276, 493
‘Undulatum’	
<i>Phylloglossum</i>	192
<i>Phymatosorus</i>	267
<i>Phymatosorus diversifolius</i>	200, 573, 581
<i>Phymatosorus pustulatum</i>	see <i>Microsorium pustulatum</i>
<i>Phymatosorus scolopendria</i>	561
<i>Pilularia globulifera</i>	257, 545
<i>Pityrogramma</i>	172, 385, 457, 568
<i>Pityrogramma</i>	45
<i>austroamericana</i>	
<i>Pityrogramma calomelanos</i>	9, 250, 299, 465, 573
<i>Pityrogramma calomelanos</i>	568
var. <i>aureoflava</i>	
<i>Pityrogramma triangularis</i>	106, 250, 307
<i>Plagiogyria</i>	248, 265, 297
<i>Plagiogyria adnata</i>	88
<i>Plagiogyria euphlebia</i>	88
<i>Plagiogyria japonica</i>	88
<i>Plagiogyria matsumuraeana</i>	43, 184, 336
<i>Plagiogyria pectinata</i>	297
<i>Platyserium</i>	9, 81, 93, 205, 265, 266, 267, 373, 581, 586

<i>Platycerium alcicorne</i>	573, 581
<i>Platycerium andinum</i>	93, 581
<i>Platycerium bifurcatum</i>	581
<i>Platycerium coronarium</i>	581
<i>Platycerium elephantotis</i>	93, 581
<i>Platycerium ellisii</i>	581
<i>Platycerium grande</i>	581
<i>Platycerium</i>	581
<i>holttumii-madagascariense</i>	
<i>Platycerium</i>	9
<i>quadridichotomum</i>	
<i>Platycerium ridleyi</i>	581
<i>Platycerium stemaria</i>	93, 581
<i>Platycerium superbum</i>	9, 81, 250, 581
<i>Platycerium veitchii</i>	581
<i>Platycerium wallichii</i>	581
<i>Platycerium wandae</i>	581
<i>Platycerium willinckii</i>	581
<i>Pleopeltis</i>	267, 385
<i>Pleopeltis astrolepis</i>	297
<i>Pleopeltis erythrolepis</i>	336
<i>Pleopeltis excavata</i>	93
<i>Pleopeltis macrocarpa</i>	297
<i>Pleopeltis percussa</i>	93
<i>Pleopeltis polypodioides</i>	see <i>Polypodium polypodioides</i>
var. <i>michauxiana</i>	
<i>Pleopeltis ussuriensis</i>	43
var. <i>distans</i>	
(or <i>Polypodium ussuriense</i>)	
<i>Pleurosoriopsis makinoi</i>	43
<i>Pneumatopteris pennigera</i>	250, 556
<i>Polybotrya</i>	297, 385
<i>Polybotrya alfredii</i>	297
<i>Polybotrya gomezii</i>	297
<i>Polybotrya osmundacea</i>	93, 297
<i>Polybotrya polybotryoides</i>	379
<i>Polybotrya serratifolia</i>	93

<i>Polypodium</i>	7, 9, 12, 15, 25, 61, 76, 93, 144, 205, 246, 249, 257, 266, 267, 329, 340, 367, 373, 379, 381, 385, 405, 437, 452, 459, 467, 481, 491, 501, 511, 513, 514, 515, 531, 539, 545, 579, 586, 588, 590, 592
<i>Polypodium amorphum</i>	2, 17, 106, 115, 273, 331, 338, 381, 591
<i>Polypodium appalachianum</i>	130, 286, 302, 401, 406, 495, 515, 579
<i>Polypodium aureum</i>	9
<i>Polypodium australe</i>	see <i>Polypodium cambricum</i>
<i>Polypodium</i> ‘Barrowii’	76
<i>Polypodium</i> ‘Bifido-grandiceps’ (or ‘Bifido-multifidum’) (or ‘Bifido-cristatum’)	76
<i>Polypodium californicum</i>	93, 94, 427, 513, 534
<i>Polypodium californicum</i> var. <i>kaulfussii</i>	93
<i>Polypodium calirhiza</i>	534, 579
<i>Polypodium</i> ‘Cambricum’	76
<i>Polypodium cambricum</i> (or <i>P. australe</i>)	76, 138, 329, 494, 590
<i>Polypodium cambricum</i> “Bipinnatifidum Group”	76
<i>Polypodium cambricum</i> “Cambricum Group”	76, 106, 493
<i>Polypodium</i> ‘Cambricum Hadwinii’ “Omnilacerum Group”	61
<i>Polypodium cambricum</i> ‘Cristatum’	106
<i>Polypodium cambricum</i> ‘Dentatum’	106
<i>Polypodium cambricum</i> ‘Grandiceps Forster’	106
<i>Polypodium cambricum</i> ‘Omnilacerum Oxford’	106

<i>Polypodium cambricum</i>	76
“Pulcherrimum Group”	
<i>Polypodium cambricum</i>	76, 106
“Semilacerum Group”	
<i>Polypodium cambricum</i>	115
‘Serrulatum’	
<i>Polypodium</i> ‘Cornubiense’	76
(or ‘The common Law Cornubiense’)	
<i>Polypodium</i>	76
‘Cornubiense Bifidum’	
<i>Polypodium</i>	76
‘Cornubiense Fowleri’	
<i>Polypodium</i>	76
‘Cornubiense Grandiceps’	
(or <i>P.</i> ‘Claphamii’)	
(or <i>P.</i> ‘Multifido- elegantissimum’)	
<i>Polypodium</i>	76
“Cornubiense Group”	
(<i>P. vulgare</i> & <i>P. interjectum</i> or <i>P. x mantoniae</i> forms)	
<i>Polypodium</i>	76
‘Cornubiense Stableri’	
<i>Polypodium</i> ‘Crenatum’	76
<i>Polypodium</i>	76
“Cristatum Group”	
(<i>P. cambricum</i> , <i>P. vulgare</i> , & <i>P. interjectum</i> or <i>P. x mantoniae</i> forms)	
<i>Polypodium</i>	76
‘Cristatum, old form’	
<i>Polypodium dasypleuron</i>	385
<i>Polypodium dryopteris</i>	see <i>Gymnocarpium dryopteris</i>
<i>Polypodium</i> ‘Elegantissimum’	76
<i>Polypodium ellipticum</i>	106
<i>Polypodium fauriei</i>	43
<i>Polypodium x font-queri</i>	76
(<i>P. australe x vulgare</i>)	
<i>Polypodium formosanum</i>	88, 581

<i>Polypodium</i> ‘Fowleri’	76
<i>Polypodium fraxinifolium</i>	93, 379
<i>Polypodium funckii</i>	379
<i>Polypodium fuscopetiolatum</i>	297
<i>Polypodium</i> ‘Glomeratum’	76
<i>Polypodium glycyrrhiza</i>	2, 81, 93, 94, 105, 152, 191, 226, 273, 296, 307, 331, 381, 404, 440, 443, 452, 488, 493, 504, 510, 511, 534, 579, 591
<i>Polypodium glycyrrhiza</i> ‘Longicaudatum’	273, 493, 504
<i>Polypodium</i> ‘Grandiceps Forster’	76
<i>Polypodium</i> ‘Grandiceps Fox’	76
<i>Polypodium</i> ‘Grandiceps Parker’	61
<i>Polypodium guttatum</i>	93
<i>Polypodium hesperium</i>	12, 37, 139, 175, 273, 307, 336, 491, 513, 579
<i>Polypodium</i> ‘Hornet’	76
<i>Polypodium interjectum</i>	25, 76, 138, 260, 293, 320, 358, 395, 431, 478, 523, 579
<i>Polypodium lepidotrichum</i>	93
<i>Polypodium macrolepis</i>	297
<i>Polypodium</i> ‘Macrostachyon’	76
<i>Polypodium</i> x <i>mantoniae</i>	76
(<i>P. vulgare</i> x <i>interjectum</i>)	
<i>Polypodium montense</i>	307
<i>Polypodium murorum</i>	385
(or <i>Pleopeltis murorum</i>)	
<i>Polypodium myriolepis</i>	93
<i>Polypodium</i> ‘Omnilacerum Oxford’ (or ‘Omnilacerum’) (or ‘Oxford Superbum’)	76
<i>Polypodium pellucidum</i>	45, 93
<i>Polypodium plebium</i>	93
<i>Polypodium polypodioides</i> (or <i>Pleopeltis</i> <i>polypodioides</i>)	34, 65, 74, 93, 105, 234, 241, 292, 302, 438, 481, 493, 494, 513, 573, 580

<i>Polypodium</i> ‘Prestonii’	76
<i>Polypodium pseudoaureum</i>	297
<i>Polypodium</i>	76
‘Pulcherrimum Addison’	
<i>Polypodium</i>	76
‘Pulcherrimum May’	
<i>Polypodium</i> ‘Pulchritudine’	76
<i>Polypodium pycnocarpon</i>	385
<i>Polypodium pyrrolepis</i>	93
<i>Polypodium</i>	76
‘Ramosum Hillman’	
<i>Polypodium rhodopleuron</i>	297
<i>Polypodium rosei</i>	93
<i>Polypodium sarratum</i>	43
<i>Polypodium</i> ‘Serratum’	76
<i>Polypodium scouleri</i>	2, 17, 26, 81, 93, 106, 115, 116, 160, 191, 211, 273, 287, 296, 314, 320, 336, 340, 356, 358, 375, 395, 404, 431, 443, 452, 478, 502, 523, 545
<i>Polypodium scouleri</i>	266
x <i>glycyrrhiza</i>	
<i>Polypodium</i> ‘Semilacerum’	76
<i>Polypodium</i>	76
‘Semilacerum Bolton’	
<i>Polypodium</i>	76
‘Semilacerum Crispatum’	
<i>Polypodium</i>	76
‘Semilacerum Falcatum’	
<i>Polypodium</i>	76
‘Semilacerum Lowei’	
<i>Polypodium</i>	76
‘Semilacerum Robustum’	
<i>Polypodium</i>	76
‘Semilacerum Undulatum’	
<i>Polypodium</i> x <i>shivasiae</i>	76
(<i>P. australe</i> x <i>interjectum</i>)	
<i>Polypodium sibiricum</i>	302
<i>Polypodium squamatum</i>	93
<i>Polypodium subauriculatum</i>	9, 478
‘Knightiae’	

<i>Polypodium thunbergianum</i>	43
(or <i>Lepisorus thunbergianus</i>)	
<i>Polypodium thyssanolepis</i>	93
<i>Polypodium</i> ‘Trichomanoides	76
Backhouse’	
<i>Polypodium</i>	76
‘Trippitt’s Crested’	
<i>Polypodium virginianum</i>	12, 43, 47, 51, 67, 75, 84, 85, 105, 106, 109, 130, 163, 166, 181, 210, 226, 240, 241, 273, 286, 302, 312, 326, 369, 401, 405, 406, 407, 410, 491, 493, 494, 495, 515, 523, 579, 580
<i>Polypodium virginianum</i>	406
x <i>appalachianum</i>	
<i>Polypodium vitiense</i>	93
<i>Polypodium vulgare</i>	93, 106, 296, 429, 493, 494, 499, 515, 523, 531, 545, 579
<i>Polypodium vulgare</i>	115, 494
‘Bifido-cristatum’	
<i>Polypodium vulgare</i> ‘Bifidum’	493
<i>Polypodium vulgare</i>	2, 17, 106, 116, 191, 257, 493
‘Cornubiense’	
<i>Polypodium vulgare</i>	76, 138, 511
(“European Complex”)	
<i>Polypodium vulgare</i>	94
‘Grandiceps’	
<i>Polypodium vulgare</i>	94
‘Macrostachyon’	
<i>Polypodium vulgare</i>	94
‘Omnilacerum’	
<i>Polypodium vulgare</i>	106
var. <i>prionodes</i>	
<i>Polypodium vulgare</i>	493, 494
‘Pulcherrimum’	
<i>Polypodium vulgare</i>	94
‘Rothmales’	
<i>Polypodium vulgare</i> “Ruffled”	191
<i>Polypodium</i> ‘Whilharris’	76

<i>Polypodium</i> ‘Whytei’	76
<i>Polypodium wiesbaueri</i>	385
<i>Polystichopsis</i>	115
<i>Polystichum</i>	25, 70, 81, 93, 104, 111, 144, 146, 148, 152, 163, 178, 190, 210, 246, 249, 250, 263, 266, 276, 278, 285, 307, 331, 332, 340, 383, 385, 406, 414, 455, 462, 467, 478, 490, 491, 492, 501, 508, 511, 521, 523, 539, 545, 554, 559, 566, 579, 588, 599
<i>Polystichum</i> (Britain)	15, 144
<i>Polystichum</i> (China)	2, 17, 160, 191, 211, 287, 320
<i>Polystichum</i> (Japan)	2
<i>Polystichum acrostichoides</i>	2, 12, 13, 17, 21, 36, 47, 51, 65, 67, 74, 75, 85, 93, 96, 105, 106, 111, 120, 136, 160, 163, 166, 180, 181, 190, 191, 210, 211, 226, 228, 232, 240, 273, 276, 285, 286, 287, 292, 296, 302, 311, 312, 320, 326, 332, 345, 358, 369, 375, 377, 382, 395, 403, 406, 408, 411, 414, 424, 431, 432, 435, 438, 455, 473, 478, 483, 488, 489, 490, 491, 492, 493, 494, 495, 508, 514, 515, 523, 541, 545, 550, 554, 573, 579, 580
<i>Polystichum acrostichoides</i> x <i>andersonii</i>	276
<i>Polystichum acrostichoides</i> f. <i>angustifolium</i>	414
<i>Polystichum acrostichoides</i> f. <i>bipinnatum</i>	414, 432
<i>Polystichum acrostichoides</i> ‘Crispum’	166, 226, 382, 414, 424, 432, 508
<i>Polystichum acrostichoides</i> ‘Cristatum’	94, 104, 382, 424, 432, 523
<i>Polystichum acrostichoides</i> f. <i>cristatum nanum</i>	432
<i>Polystichum acrostichoides</i> f. <i>demittens</i>	414

<i>Polystichum acrostichoides</i>	414
f. <i>gravesii</i>	
<i>Polystichum acrostichoides</i>	414
f. <i>gymnosorum</i>	
<i>Polystichum acrostichoides</i>	94, 166, 226, 382, 414, 424, 432
‘Incisum’	
<i>Polystichum acrostichoides</i>	414
f. <i>lanceolatum</i>	
<i>Polystichum acrostichoides</i>	414
f. <i>lingulatum</i>	
<i>Polystichum acrostichoides</i>	104, 106, 226, 382, 414, 424, 432,
‘Multifidum’ or	508
‘Multilobum’	
<i>Polystichum acrostichoides</i>	414, 432
f. <i>orbiculatum</i>	
<i>Polystichum acrostichoides</i>	414
f. <i>recurvatum</i>	
<i>Polystichum acrostichoides</i>	545
x <i>setiferum</i>	
<i>Polystichum acrostichoides</i>	414
f. <i>spathiforme</i>	
<i>Polystichum acrostichoides</i>	414
f. <i>ventroperiferis</i>	
<i>Polystichum aculeatum</i>	2, 12, 17, 25, 37, 42, 81, 96, 97, 104,
	106, 159, 160, 191, 211, 238, 287,
	320, 332, 356, 358, 395, 431, 478,
	491, 493, 494, 495, 511, 521, 523,
	545
<i>Polystichum aculeatum</i>	106
‘Bornim’	
<i>Polystichum acutidens</i>	276, 296
<i>Polystichum andersonii</i>	12, 41, 106, 111, 152, 166, 178, 191,
	210, 213, 273, 276, 289, 296, 304,
	307, 320, 331, 332, 358, 381, 395,
	404, 431, 440, 452, 455, 478, 491,
	492, 545, 591
<i>Polystichum andersonii</i>	266
x <i>setiferum</i>	
<i>Polystichum angulare</i>	see <i>Polystichum setiferum</i>
<i>Polystichum australiense</i>	250

<i>Polystichum x bicknelli</i>	545
<i>Polystichum braunii</i>	2, 12, 17, 37, 38, 41, 47, 67, 81, 96, 105, 106, 111, 132, 160, 163, 166, 181, 190, 191, 210, 211, 226, 240, 273, 285, 287, 296, 320, 332, 358, 375, 377, 395, 404, 406, 411, 421, 430, 431, 435, 440, 455, 478, 490, 491, 492, 493, 495, 515, 523, 579, 591
<i>Polystichum braunii</i> x <i>andersonii</i>	266, 296, 455, 491
<i>Polystichum braunii</i> var. <i>purshii</i>	13, 14, 332, 440
<i>Polystichum californicum</i>	2, 17, 93, 94, 96, 106, 160, 211, 287, 320, 358, 395, 431, 478, 523
<i>Polystichum chilense</i>	353
<i>Polystichum concinnum</i>	297
<i>Polystichum craspedosorum</i>	43, 184, 482
<i>Polystichum cystostegia</i>	93, 192, 200, 552
<i>Polystichum deltodon</i>	12, 69, 491, 495
<i>Polystichum dudleyi</i>	17, 93, 106
<i>Polystichum x dycei</i> (<i>P. braunii x proliferum</i>)	491, 495, 500, 539, 563
<i>Polystichum falcinellum</i>	237, 395, 431, 478
<i>Polystichum x hagenahii</i>	482
<i>Polystichum x illyricum</i>	2, 12, 17, 96, 104, 160, 191, 211, 296, 320, 358, 395, 431, 478, 495, 523
<i>Polystichum imbricans</i>	93, 94, 106, 178, 273, 296, 318, 366, 534
<i>Polystichum kiusiuense</i>	502
<i>Polystichum kruckebergii</i>	273, 307, 440
<i>Polystichum kwakiutlii</i>	545, 591
<i>Polystichum lachenense</i>	482, 539
<i>Polystichum lemmonii</i>	2, 93, 106, 111, 152, 163, 210, 250, 273, 296, 338, 350, 366, 404, 452, 489
<i>Polystichum lentum</i>	266, 491, 494
<i>Polystichum lepidocaulon</i>	106, 491
<i>Polystichum lonchitiforme</i>	104, 296, 495

<i>Polystichum lonchitis</i>	2, 12, 13, 17, 37, 69, 93, 98, 106, 139, 190, 228, 240, 263, 273, 307, 339, 381, 404, 440, 452, 471, 489, 491, 495, 511, 521, 591
<i>Polystichum longipaleatum</i>	191
<i>Polystichum luctuosum</i>	383, 478, 502, 523
<i>Polystichum makinoi</i>	2, 12, 17, 37, 95, 96, 101, 106, 160, 191, 211, 226, 228, 285, 287, 320, 332, 358, 395, 430, 431, 435, 468, 478, 490, 491, 493, 495, 508, 523, 579
<i>Polystichum mayebarae</i>	17, 106, 191, 204, 289, 296, 320, 383, 489, 502
<i>Polystichum mehrae</i>	146
<i>Polystichum</i> x <i>meyeri</i>	545
<i>Polystichum microchlamys</i>	43
(or <i>P. braunii</i> var. <i>kamtschaticum</i>)	
<i>Polystichum mohrioides</i>	106
<i>Polystichum mohrioides</i>	296
‘Cristata’	
<i>Polystichum mohrioides</i>	106
‘Elegans’	
<i>Polystichum mohrioides</i>	307
var. <i>lemmonii</i>	
<i>Polystichum monticola</i>	502
<i>Polystichum multifida</i>	545
<i>Polystichum multilobum</i>	513
<i>Polystichum munitum</i>	2, 12, 17, 41, 47, 69, 81, 93, 101, 105, 106, 111, 115, 129, 152, 166, 178, 190, 191, 240, 254, 273, 293, 296, 304, 307, 316, 320, 331, 332, 338, 358, 381, 395, 404, 427, 431, 440, 443, 450, 452, 455, 467, 478, 489, 490, 491, 493, 494, 495, 510, 523, 545, 591
<i>Polystichum munitum</i>	287, 304, 307, 320, 358, 395, 404,
x <i>andersonii</i>	545
<i>Polystichum munitum</i>	104
‘Cristatum’	

<i>Polystichum munitum</i>	338
<i>x lemmonii</i>	
<i>Polystichum munitum</i>	152
<i>x scopulinum</i>	
<i>Polystichum neolobatum</i>	2, 12, 17, 42, 93, 96, 106, 116, 159, 160, 184, 204, 211, 220, 260, 287, 296, 320, 358, 375, 383, 395, 431, 435, 478, 489, 490, 491, 492, 493, 494, 502, 508, 523
<i>Polystichum orbiculatum</i>	385
<i>Polystichum ovato-paleaceum</i>	493, 494
<i>Polystichum piceopaleaceum</i>	296, 478, 495, 523
<i>Polystichum platyphyllum</i>	297
<i>Polystichum polyblepharum</i>	2, 12, 17, 38, 81, 96, 101, 105, 106, 132, 149, 159, 160, 169, 181, 190, 191, 211, 214, 215, 228, 254, 285, 287, 289, 296, 320, 326, 332, 358, 375, 377, 395, 408, 411, 421, 431, 478, 485, 487, 489, 490, 491, 492, 493, 494, 495, 508, 511, 523
<i>Polystichum x potteri</i>	13, 14, 111, 226, 406
<i>Polystichum proliferum</i>	106, 257, 491, 495, 552
<i>Polystichum proliferum</i>	266
<i>x acrostichoides</i>	
<i>Polystichum proliferum</i>	296
<i>x braunii</i>	
<i>Polystichum prolificum</i>	106
<i>Polystichum pseudo-makinoi</i>	106, 285, 491, 508
var. <i>ambiguum</i>	508
<i>Polystichum retroso-paleaceum</i>	2, 12, 17, 96, 106, 160, 211, 285, 287, 296, 320, 332, 358, 375, 395, 421, 430, 431, 435, 478, 489, 490, 491, 493, 494, 523, 579
<i>Polystichum richardii</i>	276, 296, 491, 556, 559, 562

<i>Polystichum rigens</i>	2, 12, 17, 42, 96, 101, 106, 191, 204, 226, 296, 320, 383, 397, 431, 435, 478, 490, 491, 493, 502, 523
<i>Polystichum</i> ‘Rotundatum Cristatum’	478
<i>Polystichum scopulinum</i>	2, 12, 17, 93, 94, 96, 152, 178, 338, 350, 366, 404, 489, 545
<i>Polystichum scopulinum</i> x <i>munitum</i>	178, 545
<i>Polystichum setiferum</i> (<i>P. angulare</i>)	9, 12, 25, 37, 41, 93, 94, 98, 101, 104, 105, 106, 116, 133, 138, 159, 163, 181, 210, 213, 214, 215, 257, 266, 287, 289, 293, 296, 320, 329, 332, 358, 375, 377, 395, 411, 431, 455, 478, 488, 490, 491, 492, 493, 494, 495, 501, 511, 521, 523, 539, 545, 590
<i>Polystichum setiferum</i> ‘Acutilobum’	106, 191, 257, 493
<i>Polystichum setiferum</i> x <i>andersonii</i>	296, 491
<i>Polystichum setiferum</i> ‘Angulare’	493
<i>Polystichum setiferum</i> ‘Bevis’	489, 521
<i>Polystichum setiferum</i> “Bevis Group”	521
<i>Polystichum setiferum</i> “Capitatum Group”	521
<i>Polystichum setiferum</i> ‘Congestum’	2, 17, 96, 106, 160, 211, 493
<i>Polystichum setiferum</i> (<i>Congestum</i>) ‘Barfod Dwarf’	478, 493
<i>Polystichum setiferum</i> ‘Congestum Cristatum’	41, 95, 289, 478, 493
<i>Polystichum setiferum</i> ‘Conspicuilobum’	115
<i>Polystichum setiferum</i> ‘Conspicui-pinnulum’	115
<i>Polystichum setiferum</i> ‘Cristata Bouchart’	106

<i>Polystichum setiferum</i>	94, 493, 521
‘Cristatum’	
<i>Polystichum setiferum</i>	521
“Cristatum Group”	
<i>Polystichum setiferum</i>	521
“Cruciatum Group”	
<i>Polystichum setiferum</i>	106, 478
‘Dahlem’	
<i>Polystichum setiferum</i>	2, 17, 37, 41, 96, 160, 161, 162, 163,
‘Divisilobum’	164, 211, 216, 320, 395, 478, 490,
	493, 495, 523, 530
<i>Polystichum setiferum</i>	9, 106, 115, 191, 257, 493
“Divisilobum Group”	
<i>Polystichum setiferum</i>	545
‘Divisilobum Iveryanum’	
<i>Polystichum setiferum</i>	495
‘Divisilobum Polydactylon’	
<i>Polystichum setiferum</i>	521
‘Drueryi’ (Bevis Group)	
<i>Polystichum setiferum</i>	106, 254
‘Foliosum Grand Walton’	
<i>Polystichum setiferum</i>	257, 521
‘Gracillimum’ (Bevis Group)	
<i>Polystichum setiferum</i>	94, 495
‘Grandiceps’	
<i>Polystichum setiferum</i>	539
‘Grandiceps Jones’	
<i>Polystichum setiferum</i>	539
‘Green Lace’	
<i>Polystichum setiferum</i>	94, 443, 478, 491, 493, 515, 523
‘Herrenhausen’	
<i>Polystichum setiferum</i>	539
“Hirondelle Group”	
<i>Polystichum setiferum</i>	41
‘Imbricatum’	
<i>Polystichum setiferum</i>	257
‘Iveryanum’	
<i>Polystichum setiferum</i>	191, 254
‘Latipes’	

<i>Polystichum setiferum</i> 'Laxum'	94
<i>Polystichum setiferum</i> 'Lineare' or 'Linearis' or "Linearis Type"	94, 106, 489, 495
<i>Polystichum setiferum</i> 'Mrs. Carnes'	495
<i>Polystichum setiferum</i> 'Mrs. Hughes'	115
<i>Polystichum setiferum</i> 'Multilobum'	41, 257
<i>Polystichum setiferum</i> 'Percristatum'	104
<i>Polystichum setiferum</i> "Percristatum Group"	521
<i>Polystichum setiferum</i> 'Perserratum'	106
<i>Polystichum setiferum</i> 'Plumoso-divisilobum'	12, 25, 96, 211, 257, 500
<i>Polystichum setiferum</i> 'Plumoso-multilobum'	17, 257, 443, 478, 489, 493
<i>Polystichum setiferum</i> "Plumoso-multilobum Group"	521, 545
<i>Polystichum setiferum</i> 'Plumosum'	478, 511
<i>Polystichum setiferum</i> 'Plumosum Bevis' & <i>P. s.</i> 'P. Grande Moly' & <i>P. s.</i> 'P. Green'	61, 257, 478, 491, 493, 495
<i>Polystichum setiferum</i> 'Plumosum Densum'	266, 489, 493
<i>Polystichum setiferum</i> 'Proliferum' or 'Proliferum Wollastonii'	see <i>Polystichum setiferum</i> "Divisilobum Group"
<i>Polystichum setiferum</i> 'Pulcherrimum' & <i>P. s.</i> 'P. Moly's Green'	9, 12, 257, 491, 500
<i>Polystichum setiferum</i> "Ramosum Group"	521

<i>Polystichum setiferum</i>	500
‘Ray Smith’	
<i>Polystichum setiferum</i>	94
‘Revolvens’	
<i>Polystichum setiferum</i>	104, 115, 489
‘Rotundatum’	
<i>Polystichum setiferum</i>	2, 12, 17, 41, 94, 96, 106, 160, 191,
‘Rotundatum Cristatum’	211, 489, 491, 493, 495
<i>Polystichum setiferum</i>	489
‘Setoso-congestum’	
<i>Polystichum setiferum</i>	539
‘Smith’s Cruciate’	
<i>Polystichum setiferum</i>	2, 17, 96, 160, 211, 287, 320
‘Thompsoniae’	
<i>Polystichum setiferum</i>	539
‘Vivien Green’	
<i>Polystichum setiferum</i>	191, 545
‘Wollastonii’	
<i>Polystichum setigerum</i>	106, 273, 296, 332, 440, 491
(or <i>P. braunii</i> var. <i>alaskense</i>)	
<i>Polystichum setosum</i>	see <i>Polystichum longipaleatum</i>
<i>Polystichum speciosissimum</i>	513
<i>Polystichum squarrosom</i>	2, 12, 17, 37, 42, 96, 106, 160, 191,
	211, 287, 296, 320, 375, 431, 478,
	494, 495, 523, 588
<i>Polystichum stenophyllum</i>	25, 266, 482, 545
<i>Polystichum stimulans</i>	482
<i>Polystichum sylvaticum</i>	556
<i>Polystichum tagawanum</i>	94, 285, 296, 491, 508
<i>Polystichum talamancanum</i>	297
<i>Polystichum tripteron</i>	2, 12, 17, 37, 43, 96, 106, 191, 226,
	296, 336, 491, 508
<i>Polystichum tsus-simense</i>	2, 12, 17, 37, 42, 86, 96, 101, 105,
	106, 132, 160, 169, 181, 191, 204,
	211, 214, 228, 287, 296, 320, 358,
	375, 383, 395, 431, 478, 490, 491,
	493, 494, 502, 523
<i>Polystichum tsus-simense</i>	383
var. <i>mayebarae</i>	

<i>Polystichum tsus-simense</i>	383
var. <i>tsus-simense</i>	
<i>Polystichum vestitum</i>	106, 171, 192, 200, 250, 491, 545, 552
<i>Polystichum woronowii</i>	43, 296
<i>Polystichum xiphophyllum</i>	106, 204, 296, 383, 431, 478, 491, 493, 494, 502, 523
<i>Polystichum yaemonse</i>	2, 17, 96, 211, 287, 320
<i>Polytaenium feei</i>	297
<i>Polytaenium lineatum</i>	297
<i>Pseudodrynaria coronans</i>	93, 106
<i>Pseudolycopodiella</i>	519
<i>Pseudolycopodiella caroliniana</i>	438, 508, 519
<i>Pseudophegopteris levingei</i>	237, 336, 539
<i>Psilotum</i>	81, 200, 246, 247, 266, 373, 457, 467, 519, 556
<i>Psilotum complanatum</i>	45
x <i>nudum</i>	
<i>Psilotum nudum</i>	45, 88, 93, 568, 586
<i>Pteridium</i>	247, 347, 385, 457, 467, 501, 507, 514, 579
<i>Pteridium aquilinum</i>	94, 499
var. <i>aquilinum</i>	
<i>Pteridium aquilinum</i>	138
var. <i>atlanticum</i>	
<i>Pteridium aquilinum</i> ‘Cristata’	500
<i>Pteridium aquilinum</i>	9, 12, 37, 47, 65, 67, 74, 75, 85, 88, 94, 98, 105, 116, 133, 138, 139, 144, 166, 178, 181, 208, 226, 240, 273, 279, 292, 307, 346, 369, 378, 381, 404, 405, 406, 407, 438, 452, 457, 467, 471, 473, 478, 491, 493, 494, 495, 504, 507, 508, 514, 520, 534, 567, 573, 591
<i>Pteridium aquilinum</i>	279, 573
var. <i>pseudocaudatum</i>	
<i>Pteridium aquilinum</i>	81, 93, 94, 139, 307, 331, 427, 440
var. <i>pubescens</i>	
<i>Pteridium arachnoideum</i>	297
<i>Pteridium decompositum</i>	45

<i>Pteridium esculentum</i>	94, 200, 250, 259, 556, 562
<i>Pteris</i>	9, 15, 38, 88, 93, 172, 385, 501, 507, 559
<i>Pteris actinopteroides</i>	485
<i>Pteris altissima</i>	93
<i>Pteris biaurita</i>	502
<i>Pteris cadieri</i>	502
<i>Pteris cretica</i>	9, 12, 38, 45, 106, 250, 296, 457, 491, 502, 507, 562
<i>Pteris cretica</i> ‘Albolineata’	105, 106
<i>Pteris cretica</i> ‘Childsii’	9
<i>Pteris cretica</i> ‘Mayii’	485
<i>Pteris cretica</i> ‘Rivertoniana’	106
<i>Pteris cretica</i> ‘Rowerii’	485
<i>Pteris cretica</i> ‘Wimsettii’	106
<i>Pteris ensiformis</i>	485
‘Evergemiensis’	
<i>Pteris esquirolii</i>	502
<i>Pteris excelsa</i>	163, 184, 210, 212, 215, 320, 358, 395, 502
<i>Pteris fauriei</i>	93, 502
<i>Pteris fraseri</i>	385
<i>Pteris grevilleana</i>	502
<i>Pteris</i> x <i>hillebrandii</i>	45
<i>Pteris incompleta</i>	106
<i>Pteris irregularis</i>	45
<i>Pteris kiuschiuensis</i>	88, 502
<i>Pteris linearis</i>	502
<i>Pteris macilenta</i>	52, 250, 556
<i>Pteris multifida</i>	9, 12, 105, 106, 191, 491
<i>Pteris natiensis</i>	502
<i>Pteris nevillei</i>	561
<i>Pteris nodulosa</i>	493
<i>Pteris pacifica</i>	38
<i>Pteris podophylla</i>	297
<i>Pteris pseudolonchitis</i>	561
<i>Pteris quadriaurita</i> var. <i>tricolor</i>	93
<i>Pteris semipinnata</i>	88, 93
<i>Pteris setulosa-costulata</i>	502

<i>Pteris tokioi</i>	88
var. <i>yakushimensis</i>	
<i>Pteris tremula</i>	9, 250
<i>Pteris tripartite</i>	93
<i>Pteris umbrosa</i>	38
<i>Pteris vittata</i>	9, 93, 105, 198, 355, 485, 502, 573
<i>Pyrrosia</i>	81, 93, 267, 579, 586, 590, 594
<i>Pyrrosia abbreviata</i>	586
<i>Pyrrosia adnascens</i>	594
<i>Pyrrosia albicans</i>	299
(or <i>P. floccigera</i>)	
<i>Pyrrosia davidii</i>	586
<i>Pyrrosia eleagnifolia</i>	250, 556, 586, 594
<i>Pyrrosia hastata</i>	579, 586
<i>Pyrrosia heteractis</i>	see <i>Pyrrosia lingua</i> var. <i>heteractis</i>
<i>Pyrrosia lanceolata</i>	568, 594
<i>Pyrrosia linearifolia</i>	586
<i>Pyrrosia lingua</i>	88, 93, 94, 106, 296, 494, 499, 508, 586, 594
<i>Pyrrosia lingua</i> var. <i>heteractis</i>	586
<i>Pyrrosia lingua</i> var. <i>mitsude</i>	106
<i>Pyrrosia lingua</i> 'Monstrifera'	594
<i>Pyrrosia longifolia</i>	573, 577, 594
<i>Pyrrosia longifolia</i> , crested	594
<i>Pyrrosia nummularifolia</i>	594
<i>Pyrrosia petiolosa</i>	586
<i>Pyrrosia piloselloides</i>	586, 594
<i>Pyrrosia polydactyla</i>	93, 586
<i>Pyrrosia polydactylis</i>	see <i>Pyrrosia polydactyla</i>
<i>Pyrrosia porosa</i>	586
<i>Pyrrosia princeps</i>	594
<i>Pyrrosia rupestris</i>	594
<i>Pyrrosia schimperiana</i>	586
<i>Pyrrosia serpens</i>	57, 94, 586
<i>Pyrrosia sheareri</i>	116, 296, 443, 489, 586, 594
<i>Quercifilix</i>	81
<i>Quercifilix zeylanica</i>	296
<i>Radiovittaria</i>	385
<i>Regnellidium</i>	81
<i>Rumohra</i>	93

<i>Rumohra adiantiformis</i>	15, 42, 65, 105, 106, 191, 353, 358, 395, 431, 478, 523, 539, 556
<i>Saccoloma</i>	385
<i>Saccoloma inaequale</i>	297
<i>Sadleria</i>	45, 413, 462
<i>Sadleria cyatheoides</i>	45, 465
<i>Sadleria pallida</i>	45, 93
<i>Sadleria souleyetiana</i>	45
<i>Sadleria squarrosa</i>	45
<i>Salpichlaena volubilis</i>	297
<i>Salvinia</i>	81
<i>Salvinia auriculata</i>	93, 116
<i>Salvinia molesta</i>	520, 573
<i>Salvinia natans</i>	189
<i>Schizaea pusilla</i>	273, 279, 401, 406, 508
<i>Scoliosorus ensiforme</i>	297
<i>Scolopendrium phyllitis</i>	see <i>Phyllitis scolopendrium</i>
<i>Scyphularia pentaphylla</i>	93
<i>Scyphularia pycnocarpa</i>	93
<i>Selaginella</i>	81, 88, 93, 102, 111, 246, 266, 274, 297, 336, 373, 385, 443, 457, 467, 507, 513, 528, 559, 573, 588
<i>Selaginella apoda</i>	51, 67, 74, 166, 226, 406, 573, 598
<i>Selaginella arenicola</i>	506
<i>Selaginella arizonica</i>	139, 581
<i>Selaginella bigelovii</i>	488
<i>Selaginella braunii</i>	93, 494, 508, 573
<i>Selaginella densa</i>	296, 452
<i>Selaginella doederleinii</i>	88
<i>Selaginella douglasii</i>	331
<i>Selaginella eclipses</i>	292
<i>Selaginella erythropus</i>	93, 515
<i>Selaginella helvetica</i>	266
<i>Selaginella hildebrandei</i>	93
<i>Selaginella involvens</i>	34, 88
<i>Selaginella kraussiana</i>	2, 17, 296, 528, 556, 573
<i>Selaginella kraussiana</i> ‘Gold Tips’	116
<i>Selaginella lepidophylla</i>	102, 189, 277
<i>Selaginella moellendorffii</i>	2, 17, 494

<i>Selaginella mutica</i>	296
<i>Selaginella oaxacana</i>	297
<i>Selaginella oregana</i>	307, 331, 404, 452
<i>Selaginella pallescens</i>	93
<i>Selaginella peruviana</i>	506, 573, 581
<i>Selaginella plana</i>	93
<i>Selaginella porphyrospora</i>	297
<i>Selaginella remotifolia</i>	88
<i>Selaginella rupestris</i>	67, 75, 189, 405, 407
<i>Selaginella rupinicola</i>	581
<i>Selaginella salaziana</i>	561
<i>Selaginella sanguinolenta</i>	336
<i>Selaginella scopulorum</i>	178
<i>Selaginella selaginoides</i>	440, 499
<i>Selaginella siberica</i>	336
<i>Selaginella tamarascina</i>	296
<i>Selaginella uncinata</i>	93, 508, 573
<i>Selaginella underwoodii</i>	362, 364
<i>Selaginella wallacei</i>	178, 307, 331, 381, 427, 534, 591
<i>Selaginella watsonii</i>	471
<i>Selaginella wildenovii</i>	93
<i>Selaginella</i> ‘Wordoff’	485
<i>Selaginella wrightii</i>	277
<i>Sigillaria</i>	519
<i>Solanopteris</i>	467, 481
<i>Sphaeropteris</i>	367, 379, 385, 462, 513, 562
<i>Sphaeropteris horrida</i>	see <i>Cyathea princeps</i>
<i>Sphaeropteris medullaris</i>	556, 559
<i>Sphaeropteris quindiuensis</i>	379
<i>Sphenomeris biflora</i>	88
<i>Sphenomeris chinensis</i>	88, 568
<i>Spinulum</i>	see <i>Lycopodium annotinum</i>
<i>Stegnogramma griffithi</i>	88
<i>Stegnogramma gymnocarpa</i>	88
<i>Stegnogramma pozoi</i>	250, 465
<i>Stenochlaena</i>	81
<i>Stenochlaena milnei</i>	93
<i>Stenochlaena palustris</i>	57
<i>Sticherus</i>	250, 385, 568
<i>Sticherus cunninghamii</i>	171, 250, 556

<i>Sticherus flabellatus</i>	556
<i>Sticherus intermedius</i>	297
<i>Sticherus owbyhensis</i>	45
<i>Sticherus pallescens</i>	297
<i>Sticherus pteridellus</i>	297
<i>Sticherus revolutus</i>	297
<i>Sticherus tener</i>	250
<i>Stigmatopteris</i>	385
<i>Stigmatopteris contracta</i>	297
<i>Stigmatopteris sordida</i>	297
<i>Struthiopteris</i>	see <i>Matteuccia</i>
<i>Tectaria</i>	81, 93, 385
<i>Tectaria gemmifera</i>	9
<i>Tectaria heracleifolia</i>	93
<i>Tectaria incisa</i>	297, 379
<i>Tectaria melanocaulis</i>	93
<i>Tectaria mexicana</i>	297
<i>Terpsichore</i>	297, 385
<i>Terpsichore heteromorpha</i>	385
<i>Terpsichore senilis</i>	297, 379
<i>Thelypteridaceae</i>	76
<i>Thelypteris</i>	45, 76, 81, 88, 93, 122, 256, 273, 297, 329, 367, 379, 385, 501, 514, 574, 579
<i>Thelypteris acuminata</i>	88, 106, 184, 493
<i>Thelypteris amphioxipteris</i>	379
<i>Thelypteris angustifolia</i>	514
<i>Thelypteris angustifrons</i>	88
<i>Thelypteris augescens</i>	93
<i>Thelypteris beddomei</i>	see <i>Parathelypteris beddomei</i>
<i>Thelypteris cheilanthoides</i>	379
<i>Thelypteris cinerea</i>	385
<i>Thelypteris clivalis</i>	379
<i>Thelypteris concinnum</i>	93
<i>Thelypteris conspersa</i>	93
<i>Thelypteris cyatheoides</i>	45
<i>Thelypteris cyatheoides</i>	45
<i>x dentate</i>	
<i>Thelypteris cystopteroides</i>	88

<i>Thelypteris decursive-pinnata</i>	see <i>Phegopteris decursive-pinnata</i>
<i>Thelypteris decussata</i>	379
<i>Thelypteris dentata</i>	9, 45, 93, 105, 115, 297, 438
<i>Thelypteris esquirolii</i>	88
<i>Thelypteris germaniana</i>	379
<i>Thelypteris glanduligera</i>	88, 502
<i>Thelypteris globulifera</i>	45
<i>Thelypteris gracilescens</i>	88
<i>Thelypteris hexagonoptera</i>	see <i>Phegopteris hexagonoptera</i>
<i>Thelypteris hispidula</i>	67, 438
<i>Thelypteris hudsoniana</i>	45
<i>Thelypteris japonica</i>	184
<i>Thelypteris kunthii</i>	34, 65, 74, 105, 438, 485, 491, 494,
(or <i>Dryopteris normalis</i>)	573, 581
<i>Thelypteris laxa</i>	184
<i>Thelypteris limbosperma</i>	see <i>Thelypteris quelpaertensis</i>
<i>Thelypteris linkiana</i>	297
<i>Thelypteris navarrensis</i>	93
<i>Thelypteris nevadensis</i>	93, 106, 273
<i>Thelypteris nipponica</i>	184
<i>Thelypteris normalis</i>	81
<i>Thelypteris noveboracensis</i>	2, 12, 17, 47, 51, 65, 67, 74, 75, 85,
(or <i>Parathelypteris n.</i>)	105, 106, 166, 181, 211, 226, 250,
	286, 292, 369, 406, 407, 491, 493,
	495, 508, 515, 523, 567, 573, 579,
	580
<i>Thelypteris ovata</i>	506
<i>Thelypteris paleacea</i>	379
<i>Thelypteris palustris</i>	106, 166, 226, 257, 273, 279, 292,
	369, 405, 406, 407, 438, 473, 478,
	493, 494, 495, 508, 515, 523, 538,
	567, 573, 579, 580
<i>Thelypteris palustris</i> ‘Cristata’	94, 493
<i>Thelypteris palustris</i>	106
var. <i>palustris</i>	
<i>Thelypteris palustris</i>	47, 65, 67, 75, 85, 105, 106, 392
var. <i>pubescens</i>	
<i>Thelypteris palustris</i>	166
f. <i>pufferae</i>	

<i>Thelypteris parasitica</i>	9, 45, 88, 491, 502
<i>Thelypteris parasitica</i> x <i>cyatheoides</i>	45
<i>Thelypteris patens</i>	297, 379
<i>Thelypteris phegopteris</i>	see <i>Phegopteris connectilis</i>
<i>Thelypteris pilosula</i>	385
<i>Thelypteris puberula</i>	93
<i>Thelypteris quelpaertensis</i> (or <i>T.</i> or <i>Oreopteris</i> <i>limbosperma</i>)	104, 106, 133, 138, 152, 178, 184, 257, 273, 307, 367, 404, 440, 545 591
<i>Thelypteris resinifera</i>	297
<i>Thelypteris rojasii</i>	297
<i>Thelypteris rudis</i>	297, 379
<i>Thelypteris simulata</i>	67, 106, 166, 226, 250, 279, 369, 406, 495, 508
<i>Thelypteris torresiana</i>	9, 65, 81, 105, 106, 478, 494
<i>Thelypteris torresiana</i> ‘Eco Maiden Lace’	478
<i>Thelypteris triphylla</i>	88
<i>Thelypteris tylodes</i>	493
<i>Thelypteris urbanii</i>	297
<i>Thelypteris viridifrons</i>	163, 184, 210, 212, 215, 320, 395, 478
<i>Thyrsopteris</i>	462
<i>Tmesipteris</i>	192, 373, 467, 556
<i>Tmesipteris elongata</i>	556, 562
<i>Tmesipteris lanceolata</i>	556
<i>Tmesipteris tannensis</i>	171, 200, 562
<i>Todea</i>	462
<i>Todea barbara</i>	93, 462, 467, 512, 562
<i>Trachypteris</i>	172
<i>Trichomanes</i>	14, 67, 93, 102, 241, 243, 246, 250, 286, 299, 385, 501, 515
<i>Trichomanes boschianum</i>	302
<i>Trichomanes collariatum</i>	379
<i>Trichomanes crispum</i>	297
<i>Trichomanes elegans</i>	297
<i>Trichomanes giganteum</i>	561
<i>Trichomanes intricatum</i>	241, 286, 302, 481, 515

<i>Trichomanes kapplerianum</i>	93
<i>Trichomanes meifolium</i>	568
<i>Trichomanes prolifera</i>	507
<i>Trichomanes radicans</i>	379
<i>Trichomanes reniforme</i> (<i>Cardiomanes reniforme</i>)	171, 556, 559
<i>Trichomanes speciosum</i>	133, 257, 465, 511, 515, 539, 545, 561
<i>Trichomanes venosum</i>	556, 562
<i>Vandenboschia cyrtotheca</i>	45
<i>Vandenboschia radicans</i>	88
<i>Vittaria</i>	241, 247, 385, 501
<i>Vittaria appalachiana</i>	241, 286, 378, 515
<i>Vittaria flexuosa</i>	88
<i>Woodsia</i>	12, 81, 222, 237, 273, 318, 340, 350, 392, 437, 491, 511, 513, 514, 522, 545, 579, 590, 599
<i>Woodsia x abbeae</i>	522
<i>Woodsia alpina</i>	240, 250, 336, 440, 539, 598
<i>Woodsia appalachiana</i>	see <i>Woodsia scopulina</i> var. <i>appalachiana</i>
<i>Woodsia cystopteroides</i>	513
<i>Woodsia fragilis</i> (or <i>W. caucasica</i>)	43, 250, 539, 545
<i>Woodsia glabella</i>	13, 14, 43, 240, 336, 598
<i>Woodsia gracillima</i>	43
<i>Woodsia ilvensis</i>	47, 67, 75, 85, 94, 106, 109, 115, 166, 240, 273, 336, 369, 406, 410, 440, 515, 522, 539, 579
<i>Woodsia ilvensis x alpina</i>	539
<i>Woodsia intermedia</i>	43, 330, 358, 431, 478, 495, 523, 579, 599
<i>Woodsia x kansana</i>	522
<i>Woodsia macrochlaena</i>	43
<i>Woodsia manchuriensis</i>	43, 226
<i>Woodsia x maxonii</i>	522
<i>Woodsia mexicana</i>	37, 277
<i>Woodsia neomexicana</i>	139, 362, 364, 522

<i>Woodsia obtusa</i>	2, 17, 65, 67, 74, 75, 81, 96, 106, 109, 160, 166, 211, 224, 226, 241, 273, 286, 287, 292, 302, 320, 358, 369, 395, 405, 406, 431, 493, 495, 506, 508, 515, 523, 579, 580
<i>Woodsia obtusa</i> ssp. <i>obtusa</i>	302
<i>Woodsia oregana</i>	12, 37, 139, 178, 226, 273, 318, 331, 405, 491, 522, 599
<i>Woodsia oregana</i> ssp. <i>cathcartiana</i> (or <i>W. cathcartiana</i>)	362, 522
<i>Woodsia oregana</i> ssp. <i>cathcartiana</i> x <i>neomexicana</i>	362
<i>Woodsia oregana</i> x <i>neomexicana</i>	139
<i>Woodsia oregana</i> var. <i>oregana</i>	522
<i>Woodsia phillipsii</i>	364
<i>Woodsia plummerae</i>	115, 226, 250, 362, 515
<i>Woodsia polystichoides</i>	12, 43, 106, 191, 210, 213, 226, 289, 296, 320, 336, 340, 375, 377, 395, 431, 466, 491, 495, 539, 579, 590, 599
<i>Woodsia polystichoides</i> ‘Kamchatka’	545
<i>Woodsia polystichoides</i> var. <i>veitchii</i>	166
<i>Woodsia pseudopolystichoides</i>	579, 599
<i>Woodsia scopulina</i>	12, 37, 106, 307, 318, 331, 338, 440, 491, 522, 579
<i>Woodsia scopulina</i> var. <i>appalachiana</i>	515, 580
<i>Woodsia scopulina</i> var. <i>laurentiana</i>	522
<i>Woodsia sinuata</i>	43
<i>Woodsia subcordata</i>	43, 539, 579
<i>Woodwardia</i>	45, 81, 93, 236, 334, 340, 491, 512, 559, 579, 581

<i>Woodwardia areolata</i>	2, 17, 34, 65, 67, 74, 81, 93, 94, 96, 106, 160, 166, 211, 273, 279, 287, 292, 296, 302, 320, 358, 395, 406, 431, 438, 478, 490, 493, 494, 495, 515, 523, 573, 578, 580
<i>Woodwardia chamissoi</i>	512
<i>Woodwardia fimbriata</i>	2, 12, 25, 81, 91, 93, 105, 106, 139, 163, 191, 210, 212, 215, 266, 273, 296, 318, 320, 358, 395, 404, 427, 431, 478, 491, 494, 510, 512, 523, 534
<i>Woodwardia japonica</i>	47, 88, 105
<i>Woodwardia kempii</i>	88
<i>Woodwardia martinezii</i>	93
<i>Woodwardia orientalis</i>	9, 94, 106, 478, 573
<i>Woodwardia orientalis</i> var. <i>formosana</i>	493
<i>Woodwardia radicans</i>	9, 12, 93, 106, 240, 491, 512
<i>Woodwardia x semicordata</i>	93
<i>Woodwardia spinulosa</i>	93, 191, 512, 513
<i>Woodwardia unigemmata</i>	116, 296, 358, 395, 431, 478, 487, 489, 496, 512, 523, 588
<i>Woodwardia virginica</i>	47, 65, 67, 74, 81, 93, 94, 105, 166, 226, 240, 273, 279, 369, 406, 438, 493, 494, 495, 508, 567, 573, 580
<i>Xiphopteris okuboi</i>	88